

LUMINAC
LIGHT IN ITS BEST FORM

**INDOOR
OUTDOOR**

6TH EDITION

**LIGHT
IN ITS BEST FORM**

2022
PRICE LIST
W.E.F 15th FEB, 2022





LIGHTING
TECHNOLOGY
AT ITS BEST



ABOUT US

Established in 1997 **Light Form Industries** as manufacturing company certified with ISO-9000-2000 adapting E.H.S norms and sigma 6 quality assurance for manufacturing and branding for lighting companies. In year 2001 company started its own brand "LUMINAC" with Light Form Marketing visualizing and understanding for customer concept and choice on fast changing lighting sources and luminaire designs.

The challenging art of minimalism, where every tiny detail is accounted for, inspired us to create our new product line with unprecedented aesthetic value and at the same time, profound functionality. Our International design team is working fanatically to develop our product range with best light performance focussing on each element from the whole concept to the tiniest detail.

LUMINAC series, with more than 500 selection, can answer all possible lighting demands. Our products are made with care for each detail designed to decorate indoor and outdoor spaces, offering best lighting solutions according to modern tendencies. Being a veteran company, we are focussing on most advanced LED technology, innovative solutions and fashionable design. For a short period of time, LUMINAC series has already conquered the hearts of thousands of designers and architects providing best lighting experience and knowledge to meet the functional and aesthetic needs.

We are a proud example of the **Make in India initiative**, with air for innovation and a profound appreciation of any architectural project. For the last two decades, we have been focussing on realizing new technical objectives and increasing product performance, with a particular attention on our human capital, a team of highly trained, motivated people.



TABLE OF CONTENT

INDOOR

Premium Front Lit Smd Recessed Downlights	07 - 08
Eco Front Lit Recessed Smd Downlights	09
Deep Recessed Back Lit Smd Downlights	10
Low Height Back Lit Slim Smd Downlights	11
Compact Deep Recessed Smd Downlights	11
Smd Downlights Front Lit	12
Side Lit Panels Recessed	12-13
Surface Slim Smd Side Lit Panels	13-14
Coral Series Back Lit Surface Panels	14-15
Clean Room Luminaires	15-16
Recessed Panels Backlit	16-17
Surface Panels Backlit	17-18
Cob Recessed Downlights	18-25
Pinspot Series	26
Grille Light Series	26
Linear Blade Series	27
Front Maintenance Linear Series	27
Front Maintenance Adjustable Linear Series	28
Slim Linear Series	28
Turbo Series	29-30
COB Trimless Downlights	31
Semi COB Trimless Downlights	31
Wallwasher Cob Recessed	32-33
Titanium Series	34
Cob Compact Spots Recessed	35
Track Lights	35-36
Waterproof Recessed Fixture	37
Reflector Cob Downlights	38
Surface Ceiling Smd	39-40
Surface Cob Downlights	41-44
Surface Adjustable Cob	45
Steplights	46
Magnetic Track Series & Accessories	46-48
Aluminium Profiles	49-51
High Bay Series	52
Linear Suspended Lighting	53-55
Wall Lights	56-60
Mirrorlights	61-63
Picture Lights	63
Side Reading Lights	64
Commercial Pendant Lights	64-66
LED Strips	66-67
12V Constant Voltage Drivers	67
Decorative Lights	68-72

TABLE OF CONTENT

OUTDOOR

Bollards	74-78
Gate Lights	79-80
Heritage Gate Lights	81
Heritage Outdoor Hanging	81
Wall Lights	82-86
Heritage Wall Lights	87
Column Wall Lights / Directional	88-90
Inground Burials	91
Shrub Uplighters	92
Steplights Recessed	93
Steplights Surface	94
Ceiling Surface	95
Street Lights	96-97
Flood Lights	98
Underwater Lights	99
Post Top Lanterns	100-101
Led Poles	102
Architectural Streetlight Heads	103
Modular Led Poles	104-105
Architectural Poles	106-107

1. Lumen {Unit:lm}


Lumen is the international (SI) unit of luminous flux, a measure of overall light emitted by a light source.



Luminous flux
Unit: lumen (lm)

2. Beam Angle {Unit:degree}


Beam angle is the angle between two directions for which the luminous intensity is 50% of the maximum intensity as measured in a plan through the nominal beam centerline. Beam angle of a bulb gives an idea of how the light beam spreads away from the beam center.



3. Light Colour Temperature {Unit: Kelvin}

A black-Body radiator will have a different color when it is heated up to different temperatures (in Kelvin). The temperature at which the heated black-body radiator matches the color of the light source is the color temperature of the light source.

LIGHT COLOUR TEMPERATURE CHART



4. LUX {Unit: lx}

Lux is the international (SI) unit of illuminance, a measure of light arriving at a surface, 1 lumen per square foot equals 1 foot-candle, while 1 lumen per square meter equals 1 lux .[lux = lumen/m²]

5. Driver


Electronics used to power the illumination sources.



LED DRIVER by Luminac

6. Light Emitting Diode (LED)

A solid-state semiconductor device converting electrical energy directly into light.



7. Colour Rendering Index (CRI)

Colour rendering index ranges from 0-100, measures a light source's ability to reproduce the color of various objects being lit by a reference light source, black body radiator (CRI=100)

8. Kelvin

The unit of measurement of colour temperature and correlated colour temperature.

9. Tunable & Dimmable

LEDs are completely/fully dimmable, in fact LED life enhances when dim. Generally LED can be dimmed with PWM technique and 4 dimming protocol available in market detail below.

- A. Triac / Phase cut dimmable (Leading OR trailing edge dimmable)
- B. 1-10VDC Analogue dimming
- C. DSI dimming – Digital signal interface or can be dim via push button individual or in group.
- D. DALI dimming – Digitally address lighting interface.

10. IES

Derives from the acronym for the Illuminating Engineering Society of North America (IESNA). IES files are assigned the file extension ".ies". Used by lighting designers to model the illumination performance of a lighting scheme using commercial lighting design software. An IES file is commonly referred to as "photometric data" for a luminaire.

11. LED Driver

LUMINAC Fixtures are powered by Fulham / Eaglerise which are leading LED driver manufacturing companies in the world. LED drivers are constant current which ensure proper current to each luminaire. They offer two year warranty on the drivers.

12. COB - Light Source

COB, commonly known as Chip on board (multi chip on board) it's a technology of LED packaging for LED Light engine. COBs are known for reduce thermal resistance for better conductivity.

13. Design

LED technology is constantly changing. Rapid innovation continues to improve the performance on an almost daily basis. Future-proofing of LED modules allows luminaire manufacturers to switch from one generation to the next improved generation without major retooling or changes in luminaire design, offering backward compatibility with drivers.

14. Consistency of the Colour appearance of LEDs

LEDs are standardized for consistency in colour and performance through a process call LED binning and classified further in MacAdam steps. During the manufacturing process LEDs are allocated to specific 'bin' numbers based on tests conducted to determine their colour, lumen output and forward voltage. LEDs from each bin are further classified in a 7-step MacAdam ellipse.

15. Heat Sink and Heat Transferring Techniques

LEDs is a semiconductor device so it tends to generate heat where the chip is mounted and when the current flow through chip it generates light as well heat. If luminary or heatsink does not maintain temperature at junction the LED engine will burn.

16. What are Dimming control protocols?

LED Dimmable drivers control LED directly by signals coming from the central dimmer or they can be designed to interpret other protocols like 1-10V, DALI, DSI, DMX, Ethernet or ZigBee signals from the central dimming system. Also the triac dimming or phase cut dimming are commonly used

17. Why do some LEDs flicker when dimmed or turned off?

This is usually due to incompatibility between the driver and the control system. When purchasing an LED product, it is important to use the driver type as specified by the manufacturer. Also the integrator has to check the compatibility between the LED and drivers.

18. Why Lumen is more important than watt in LED ?

LED is constant evolving technology. Continuous research and development makes LEDs more efficient in every few months. Unlike old light source which has technology limitation and do not provide higher efficiency on regular basis it will be unjustified to compare LED by its wattage.

Few years ago, LED used to produce 50-70 Lumen per watt whereas the new generation LED produce 130-160 lumen. This is significant compared to general light source like halogen or incandescent lamp which produce around 10-15 lumen per watt. For example 10w LED that use to deliver 570 Lumens few years ago, now delivers around 1120 lumens. Comparing LED purely on wattage would be misleading in today's scenario.

LUMENS
LIGHT OUTPUT



WATTS
ENERGY USED



INDOOR LIGHTS



PREMIUM FRONT LIT SMD RECESSED DOWNLIGHTS



Spl Offer



LF-LL-379

Power : 8w
 Cutout : 110 x 110mm
 Dimensions : 125 x 125 x H25mm
 Colour Temp : 3k/4k/6k

LF-LL-380

11w
 125 x 125mm
 140 x 140 x H25mm
 3k/4k/6k

LF-LL-381


15w
 140 x 140mm
 160 x 160 x H26mm
 3k/4k/6k

LF-LL-382

20w
 170 x 170mm
 190 x 190 x H27mm
 3k

Body Colour : White
 Light Source : Epistar SMD 4014

8w	1,350.00
11w	1,600.00
15w	2,000.00
20w	2,750.00



LF-LL-376

Power : 8w
 Cutout : Ø110mm
 Dimensions : Ø125 x H25mm
 Colour Temp : 3K/4K/6K

LF-LL-377

11w
 Ø125mm
 Ø140 x H25mm
 3K/4K/6k

LF-LL-378

15w
 Ø140mm
 Ø160 x H26mm
 3K/4K/6k

LF-LL-419

20w
 Ø170mm
 Ø190 x H27mm
 3K/4K/6k

LF-LL-700

6w
 Ø75mm
 Ø90 x H23mm
 6K

Body Colour : White
 Light Source : Epistar SMD 4014

6w	1,100.00
8w	2,250.00
11w	2,750.00
15w	3,300.00
20w	4,200.00



PREMIUM FRONT LIT SMD RECESSED DOWNLIGHTS



Spl Offer

Available Colour Temperature Range

6K
3K

LF-LL-182

Power : 4w
Cutout : 65xH22mm

Light Source : Samsung
Beam Angle : 90°
Colour Temp : 3K/6K

700.00



Spl Offer

Available Colour Temperature Range

6K
4K
3K

LF-LL-1333


Power : 8w
Cutout : Ø80

Light Source : Epistar
Beam Angle : 90°
Colour Temp : 3K/4K/6K

LF-LL-243

12w
Ø95mm

8w **2,300.00**
12w **2,550.00**



Spl Offer

Available Colour Temperature Range

6K
4K
3K

LF-LL-181

Power : 4w
Cutout : Ø65xH20mm

Light Source : Epistar
Beam Angle : 90°
Colour Temp : 3K/4K/6K

900.00

ECO FRONT LIT RECESSED SMD DOWNLIGHTS



LF-LL-1223

Power : 6w
Cutout : Ø75mm
Dimensions : Ø92 x H32mm

Body Colour : White
Light Source : Epistar
Beam Angle : 120°
Colour Temp : 3K/4K/6k


LF-LL-1224

12w
Ø106mm
Ø120 x H32mm

LF-LL-1225

18w
Ø158mm
Ø170 x H32mm

	Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
6w	2,450.00	775.00
12w	2,800.00	1,075.00
18w	3,700.00	1,600.00




LF-LL-1226

Power : 24w
Cutout : Ø205mm

Light Source : Epistar
Beam Angle : 120°
Colour Temp : 3K/4K
Body Colour : White

Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
4,950.00	1,350.00

Spl Offer




LF-LL-1230

Power : 24w
Cutout : Ø205mm

Light Source : Epistar
Beam Angle : 120°
Colour Temp : 3K/4K
Body Colour : White

Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
4,950.00	1,350.00

Spl Offer



LF-LL-1227

Power : 6w
Cutout : 75 x 75mm
Dimensions : 90 x 90 x H32mm

Body Colour : White
Light Source : Epistar
Beam Angle : 120°
Colour Temp : 3K/4K/6k


LF-LL-1228

12w
106 x 106mm
120 x 120 x H32mm

LF-LL-1229

18w
158 x 158mm
170 x 170 x H32mm

	Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
6w	2,450.00	775.00
12w	2,800.00	1,075.00
18w	3,700.00	1,600.00



DEEP RECESSED BACK LIT SMD DOWNLIGHTS



LF-LL-1440

Power : 12w
 Cutout : Ø110mm
 Dimensions : Ø120 x H50mm


Light Source : Epistar
 Beam Angle : 120°

LF-LL-1442

18w
 Ø145mm
 Ø155 x H55mm

LF-LL-2100

24w
 Ø165mm
 Ø175 x H55mm



Colour Temp
3k/4k/6k

12w	1,450.00
18w	1,850.00
24w	2,100.00



LF-LL-1419

Power : 12w
 Cutout : Ø110mm
 Dimensions : Ø120 x H50mm


Light Source : Goldi LED
 Beam Angle : 120°
 Tunable Dimmable : 3K/4K/6k

LF-LL-1420

18w
 Ø145mm
 Ø155 x H55mm

LF-LL-2101

24w
 Ø165mm
 Ø175 x H55mm




Tunable Dimmable
3k-4k-6k

12w	2,975.00
18w	3,950.00
24w	4,450.00



LF-LL-1419A

Power : 12w
 Cutout : 110 x 110mm
 Dimensions : 120 x H50mm



LF-LL-1441

Power : 12w
 Cutout : 100 x 100mm
 Dimensions : 110 x 110mm

Light Source : Epistar
 Beam Angle : 120°
 Tunable Dimmable : 3K/4K/6k

LF-LL-1443

18w
 135 x 135mm
 145 x 145mm

LF-LL-1420A

18w
 145 x 145mm
 155 x H55mm

Tunable Dimmable
3k-4k-6k


Colour Temp
3k/4k/6k

1441	1,450.00
1443	1,850.00
1419A	2,975.00
1420A	3,950.00

LOW HEIGHT BACK LIT SLIM SMD DOWNLIGHTS



New



LF-LL-3200

Power : 6w
 Cutout : Ø75mm
 Dimensions : Ø84 x H30mm

LF-LL-3201

12w
 Ø100mm
 Ø110 x H30mm


LF-LL-3202

18w
 Ø145mm
 Ø155 x H30mm


Body Colour : White
 Beam Angle : 110°
 Colour Temp : 3K/4K/6k

	Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
6w	2,450.00	900.00
12w	2,800.00	1150.00
18w	3,750.00	1,700.00

COMPACT DEEP RECESSED SMD DOWNLIGHTS



New



LF-LL-3203

Power : 12w
 Cutout : 85mm
 Dimensions : Ø90 x H56mm

LF-LL-3204

Power : 18w
 Cutout : 95mm
 Dimensions : Ø100 x H56mm

Body Colour : Matt White
 Beam Angle : 90°

	Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
12w	2,900.00	1,300.00
18w	3,800.00	1,600.00

SMD DOWNLIGHTS FRONT LIT



Spl Offer

Available Colour Temperature Range

LF-LL-732

Power : 15w
Cutout : Ø95mm

Body Colour : White
Beam Angle : 120°
Colour Temp : 3K
Light Source : Edison

2,350.00



Spl Offer

Available Colour Temperature Range

LF-LL-235

Power : 3w
Cutout : Ø98mm

Body Colour : White
Colour Temp : 3K/6K
Light Source : Epistar

1,050.00



Spl Offer

Available Colour Temperature Range

LF-LL-442

Power : 13w
Cutout : Ø120mm

Beam Angle : 100°
Colour Temp : 4K/6K
Light Source : Samsung

1,500.00



Spl Offer

Available Colour Temperature Range

LF-LL-198

Power : 19w
Cutout : Ø172mm

Body Colour : White
Beam Angle : 90°
Colour Temp : 6K
Light Source : Samsung

2,100.00



Spl Offer

Available Colour Temperature Range

LF-LL-717


Power : 17w
Cutout : Ø165mm

Body Colour : White
Beam Angle : 90°
Colour Temp : 4K/6K
Light Source : Samsung

1,900.00



SIDE LIT PANELS RECESSED



Spl Offer


Available Colour Temperature Range

LF-LL-499	LF-LL-281	LF-LL-252	
Power : 6w Cutout : Ø76mm	Power : 8w Cutout : Ø108mm	15w Ø225mm	
Colour Temp : 6K Beam Angle : 110° Body Colour : White Light Source : Epistar	6K	3K	
			6w 400.00
			8w 500.00
			15w 825.00

SIDE LIT PANELS RECESSED



Spl Offer



LF-LL-500

Power : 6w
Cutout : 78x78mm

LF-LL-224

8w
96 x 96mm

LF-LL-203

15w
152 x 152mm

LF-LL-329

30w
284 x 284mm

Colour Temp : 3K/4K/6k
Body Colour : White
Beam Angle : 110°
Light Source : Epistar

3K/4K/6k

3K


3K

6w	400.00
8w	450.00
15w	825.00
30w	1,800.00

SURFACE SLIM SMD SIDE LIT PANELS



Spl Offer



LF-LL-1231

Power : 6w
Cutout : Ø100mm

LF-LL-1232

12w
Ø150mm

LF-LL-1233

18w
Ø175mm

Material : Aluminium +PC
Beam Angle : 120°
Colour Temp : 3K/4K/6k
Light Source : Epistar
Thickness : 17mm

6w	1,050.00
12w	1,500.00
18w	2,000.00

SURFACE SLIM SMD SIDE LIT PANELS



Spl Offer

Available Colour Temperature Range

6K

4K

3K

LF-LL-1234

Power : 6w
Cutout : 100 x 100mm

LF-LL-1235

12w
150 x 150mm

LF-LL-1236

18w
175 x 175mm

LF-LL-1431

24w
220 x 220mm

Material : Aluminium + PC
Beam Angle : 120°
Colour Temp : 3K/4K/6k
Light Source : Epistar
Thickness : 17mm

6w **1,050.00**

12w **1,500.00**

18w **2,000.00**

24w **2,400.00**

CORAL SERIES BACK LIT SURFACE PANELS



New

Rimless Border

Available Colour Temperature Range

6K

4K

3K

LF-LL-1700

Power : 8w

LF-LL-1701

16w

LF-LL-1702

24w

LF-LL-1703

32w

Dimensions : Ø120 x H35mm

Ø120 x H35mm

Ø175 x H35mm

Ø225 x H35mm

Material : Aluminium + PC
Beam Angle : 110°
Colour Temp : 3K/4K/6k

8w **1,325.00**

16w **1,375.00**

24w **2,075.00**


32w **2,650.00**





Rimless Border

New



LF-LL-1704

Power : 8w

Dimensions : Ø120 x H35mm

Material : Aluminium + PC
Beam Angle : 110°
Colour Temp : 3K/4K/6k

LF-LL-1705

16w

Ø120 x H35mm

LF-LL-1706

24w

Ø175 x H35mm


LF-LL-1707

32w


Ø225 x H35mm

8w	1,325.00
16w	1,375.00
24w	2,075.00
32w	2,650.00

CLEAN ROOM LUMINAIRES



New




LF-LL-3205


Power : 24w
Cutout : 300 x 300mm

Material : Powder coated White
Housing : CRCA 0.50
Outer Frame : CRCA 0.8
Light Source : Bridgelux
Diffuser : PMMA
Driver : Fullham

White	5,900.00
S.S	6,600.00



New



LF-LL-3206

Power : 40w
Cutout : 600 x 600mm

Material : Powder coated White
Housing : CRCA 0.50
Outer Frame : CRCA 0.8
Light Source : Bridgelux
Diffuser : PMMA
Driver : Fullham

White	9,400.00
S.S	10,500.00



CLEAN ROOM LUMNAIRES



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-3207


Power : 36w
Cutout : 300 x 600mm

Material : Powder coated White
Housing : CRCA 0.50
Outer Frame : CRCA 0.8
Light Source : Bridgelux
Diffuser : PMMA
Driver : Fullham

White 7,550.00
S.S 8,100.00



RECESSED PANELS BACKLIT



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-553

Power : 24w
Cutout : 295 x 295 x H50mm

LF-LL-331


Power : 40w
Cutout : 595 x 595 x H40mm

Colour Temp : 3K/4K/6K
Light Source : Bridgelux
Material : CRCA 0.50
Body Colour : White
Diffuser : PMMA
Driver : Fullham

24w 3,450.00
40w 4,400.00



New



LF-LL-601

Power : 36w
Size : 595 x 145 x H75mm

LF-LL-602

36w
1195 x 150 x H75mm

LF-LL-550

36w
595 x 295x H75mm

LF-LL-551

36w
1195 x 295 x H75mm


Colour Temp : 3K/4K/6K
Light Source : Bridgelux
Material : Mild Steel
Body Colour : White
Outer Frame : CRCA 0.50
Light Source : Bridgelux
Diffuser : PMMA
Driver : Fullham

595 x 145 x H75mm	5,050.00
1195 x 150 x H75mm	5,950.00
595 x 295 x H75mm	5,250.00
1195 x 295 x H75mm	6,250.00

SURFACE PANELS BACKLIT



New



LF-LL-553S

Power : 24w
Size : 300 x 300 x H75mm

LF-LL-331S

40w
600 x 600 x H75mm

Colour Temp : 3K/4K/6K
Light Source : Bridgelux
Material : Mild Steel
Body Colour : White
Outer Frame : CRCA 0.50
Light Source : Bridgelux
Diffuser : PMMA
Driver : Fullham

24w	3,550.00
40w	5,750.00

SURFACE PANELS BACKLIT

LF-LL-601S
 Power : 36w
 Size : 600 x 145 x H75mm

LF-LL-550S
 Power : 36w
 Size : 600 x 300 x H75mm

LF-LL-602S
 40w
 1200 x 150 x H75mm

LF-LL-551S
 36w
 1200 x 300 x H75mm



600 x 145 x H75mm **5,150.00**

1200 x 150 x H75mm **6,250.00**

600 x 300 x H75mm **5,350.00**

1200 x 300 x H75mm **6,550.00**

New

Available Colour Temperature Range

6K

4K

3K

Colour Temp : 3K/4K/6K
 Material : CRCA 0.50
 Body Colour : White
 Outer Frame : CRCA 0.50
 Light Source : Bridgelux
 Diffuser : PMMA
 Driver : Fullham

COB RECESSED DOWNLIGHTS



LF-LL-355
 Power : 3w
 Cutout : Ø31 x H35mm

Body Colour : White
 Beam Angle : 40°
 Colour Temp : 3K/6K
 Light Source : Cree

825.00



LF-LL-426
 Power : 3w
 Cutout : Ø31 x H49.3mm

Body Colour : White
 Beam Angle : 40°
 Colour Temp : 6K
 Light Source : Cree

750.00



LF-LL-497
 Power : 1 x 2w
 Cutout : Ø35 x H35mm

Body Colour : White
 Beam Angle : 30°
 Colour Temp : 3K/4K/6K
 Light Source : Cree

1,350.00

Spl Offer

Available Colour Temperature Range

6K

3K

Spl Offer

Available Colour Temperature Range

6K

4K

3K

Spl Offer

Available Colour Temperature Range

6K


4K

3K





New



Available Colour Temperature Range


6K
4K
3K

LF-LL-1750

Power : 3w
Cutout : Ø28mm
Size : Ø38 x H18mm

Body Colour : White/ Black/ Copper
Beam Angle : 35°
Colour Temp : 3K/4K/6K

575.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-417

Power : 4w
Cutout : Ø45 x H43mm

Body Colour : White
Beam Angle : 40°
Colour Temp : 3K/4K/6K
Light Source : Cree

1,700.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-506

Power : 4w
Cutout : Ø65mm

Body Colour : White
Beam Angle : 25°
Colour Temp : 3K/4K/6K
Light Source : Cree

1,550.00

New



Available Colour Temperature Range

6K
4K
3K


LF-LL-1751

Power : 2w
Cutout : Ø25mm
Size : Ø26 x H24mm

LED : Osram/ Lumius SMD
Beam Angle : 24°
Colour Temp : 3K/4K/6K
Driver : LIFUD/ Eaglerise

1,175.00

New



Available Colour Temperature Range

6K
4K
3K

LF-LL-1752

Power : 3w
Cutout : Ø35mm
Size : Ø34 x H31mm

LED : Lumius
Beam Angle : 24°
Colour Temp : 3K/4K/6K
Driver : LIFUD/ Eaglerise

LF-LL-1753

Power : 5w
Cutout : Ø50mm
Size : Ø55 x H52mm

3w 1,325.00
5w 1,525.00



Available Colour Temperature Range

4K
3K

LF-LL-285A

Power : 9w
Cutout : Ø60mm

Light Source : Cree
Beam Angle : 30°
Colour Temp : 3K/4K

2,450.00



Available Colour Temperature Range

4K
3K

LF-LL-1361

Power : 10w
Cutout : Ø80mm

Body Colour : White
Beam Angle : 32°
Colour Temp : 3K/4K
Light Source : Bridgelux

4,750.00



Available Colour Temperature Range

4K
3K

LF-LL-1348

Power : 6.2w
Cutout : Ø48mm

Beam Angle : 24°
Colour Temp : 3K/4K
Light Source : Bridgelux

2,900.00

COB RECESSED DOWNLIGHTS




Available Colour Temperature Range

LF-LL-1349 Frame

Power : 2 x 6.22w
Size : 120 x H50mm

Beam Angle : 24°
Colour Temp : 3K/4K
Light Source : Bridgelux

800.00



Available Colour Temperature Range

LF-LL-1350

Power : 6.2w
Cutout : Ø50mm
Size : 50 x H88mm

Beam Angle : 24°
Colour Temp : 3k/4k
Light Source : Bridgelux

2,900.00



Available Colour Temperature Range

LF-LL-1369 **LF-LL-1370**

Power : 7w 12w
Cutout : Ø75mm Ø90mm

Beam Angle : 35°
Colour Temp : 3K/4K
Light Source : Cree

7w 2,700.00
12w 3,800.00



Available Colour Temperature Range

LF-LL-1456

Power : 7w
Cutout : Ø75mm

Beam Angle : 35°
Colour Temp : 3K/4K
Light Source : Cree
Reflector : White/Black/Gold

2,200.00



Available Colour Temperature Range

Model	Power	Cutout	Beam Angle	Light Source	Body Colour	Colour Temp
LF-LL-1247E	3w	Ø45mm	30°	Cree	White / Black	3K/4K/6K
LF-LL-1247A	7w	Ø66mm	30°	Cree	White / Black	3K/4K/6K
LF-LL-1247	12w	Ø76mm	30°	Cree	White / Black	3K/4K/6K
LF-LL-1247B	15w	Ø76mm	30°	Cree	White / Black	3K/4K/6K
LF-LL-1247C	20w	Ø86mm	30°	Cree	White / Black	3K/4K/6K
LF-LL-1247D	25w	Ø86mm	30°	Cree	White / Black	3K/4K/6K

Power	Tunable Dimmable 3k-4k-6k	Colour Temp 3k/4k/6k
3w	2,400.00	1,250.00
7w	2,700.00	1,650.00
12w	2,950.00	1,850.00
15w	3,150.00	2,050.00
20w	4,350.00	2,700.00
25w	4,500.00	2,950.00



New



LF-LL-2903


Power : 9w
Cutout : Ø75mm
Size : Ø85 x H54mm

LF-LL-2904

15w
Ø75mm
Ø85 x H85mm

Beam Angle : 40°
Colour Temp : 3K/4K
Light Source : Cree
Body Colour : White

9w **3,125.00**
15w **3,800.00**



New





Mini Module

LF-LL-2911

Power : 9w
Cutout : Ø65mm
Size : Ø75 x H45mm

Beam Angle : 35°
Colour Temp : 3K/4K
Light Source : Cree

3,350.00



LF-LL-2907


Power : 9w
Cutout : Ø75mm
Size : Ø83 x H54mm

LF-LL-2908

15w
Ø75mm
Ø83x H85mm

Beam Angle : 30°
Colour Temp : 3K/4K
Light Source : Cree
Body Colour : White

9w **2,950.00**
15w **3,650.00**



LF-LL-2912


Power : 9w
Cutout : Ø80mm
Size : Ø90 x H54mm

LF-LL-2913


15w
Ø80mm
Ø90 x H85mm

Beam Angle : 30°
Colour Temp : 3K/4K
Light Source : Cree
Body Colour : White

9w **3,500.00**
15w **4,250.00**



COB RECESSED DOWNLIGHTS



LF-LL-3675

Power : 7w/12w/15w
Cutout : Ø68mm/95mm/95mm

Beam Angle : 36°
Light Source : Cree

Available Colour Temperature Range

6K
4K
3K

Power	Tunable Dimmable 3k-4k-6k	Color Temp 3k/4k/6k
7w	2750.00	1300.00
12w	2950.00	1550.00
15w	3150.00	1650.00



LF-LL-1810


Power : 7w/15w/20w
Cutout : Ø40mm/60mm/75mm

Beam Angle : 36°
Light Source : Cree

Available Colour Temperature Range

6K
4K
3K

Power	Tunable Dimmable 3k-4k-6k	Color Temp 3k/4k/6k
7w	3050.00	1550.00
15w	3550.00	2200.00
20w	4850.00	3250.00



LF-LL-1248A **LF-LL-1248B**

Power : 12w 15w
Cutout : Ø76mm Ø76mm
Size : Ø84 x H85mm Ø84 x H85mm

Beam Angle : 38°
T/D : 3K-4K-6K
Light Source : Cree

Available Colour Temperature Range

6K
4K
3K

Power	Tunable Dimmable 3k-4k-6k	Color Temp 3K/4K/6K
12w	3,150.00	2,050.00
15w	3,350.00	2,250.00

COB RECESSED DOWNLIGHTS




Available Colour Temperature Range

LF-LL-1754 **LF-LL-1755**

Power : 9w 15w
Cutout : Ø60mm Ø60mm

Colour Temp : 3K/4K
Light Source : Cree
Reflector : Matt Silver/Gold
Beam Angle : 40°

9w 2,950.00
15w 3,650.00



Spl Offer

Available Colour Temperature Range

LF-LL-748 **LF-LL-749**

Power : 9w Power : 38w
Cutout : Ø90mm Cutout : Ø150mm

Colour Temp : 3K/4K 4K
Beam Angle : 35°
Light Source : Cree

9w 1,700.00
38w 3,850.00



Spl Offer

Available Colour Temperature Range

LF-LL-063 **LF-LL-290**

Power : 3 x 3w 5 x 3w
Cutout : Ø89mm Ø143mm

Colour Temp : 3K/6K 6K
Light Source : Cree
Beam Angle : 40°

3x3w 1,175.00
5x3w 1,450.00



Spl Offer

Available Colour Temperature Range

LF-LL-424

Power : 15w
Cutout : Ø120mm

Colour Temp : 3K/4K/5K
Beam Angle : 60°
Light Source : Bridgelux

2250.00



Spl Offer

Available Colour Temperature Range

LF-LL-706

Power : 13w
Cutout : Ø90mm

Colour Temp : 3K/6K
Beam Angle : 40°
Light Source : Cree
Body Colour : Chrome

1,600.00



Spl Offer

Available Colour Temperature Range

LF-LL-788

Power : 22w
Cutout : Ø90 x H110mm

Colour Temp : 3K/6K
Beam Angle : 30°
Light Source : Cree

3,100.00



Spl Offer

Available Colour Temperature Range

LF-LL-288A

Power : 9w
Cutout : Ø75mm

Colour Temp : 4K
Beam Angle : 35°
Light Source : Cree

1,700.00

COB RECESSED DOWNLIGHTS



Spl Offer

Available Colour Temperature Range

6K
4K

LF-LL-628

Power : 13w
Cutout : Ø90mm

Colour Temp : 4K/6K
Beam Angle : 60°
Light Source : Cree

2,700.00



Spl Offer

Available Colour Temperature Range

3K

LF-LL-1360

Power : 10w
Cutout : Ø75mm

Colour Temp : 3K
Beam Angle : 32°
Light Source : Bridgelux

2,800.00



Spl Offer

Available Colour Temperature Range

3K

LF-LL-251

Power : 42w
Cutout : Ø135mm

Colour Temp : 3K
Beam Angle : 40°
Light Source : Philips Fortimo

10,200.00



Spl Offer

Available Colour Temperature Range

4K
3K

LF-LL-708

Power : 45w
Cutout : Ø130mm

Colour Temp : 3K
Light Source : Cree
Beam Angle : 40°

5,800.00



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-3677

Power : 36w
Cutout : Ø119x119mm

Colour Temp : 3K/4k/6k
Light Source : Cree
Beam Angle : 38°

4,900.00



Spl Offer

Available Colour Temperature Range


3K

LF-LL-450

Power : 12w
Cutout : Ø80mm

Colour Temp : 3K
Beam Angle : 40°
Light Source : Cree
Type : Wall Washer

2,500.00



Spl Offer

Available Colour Temperature Range

3K

LF-LL-451

Power : 12w
Cutout : Ø80mm

Colour Temp : 3K
Beam Angle : 25°
Light Source : Cree
Type : Oval Cut

2,500.00




Spl Offer

Available Colour Temperature Range

LF-LL-448

Power : 96w
Cutout : Ø180mm

Colour Temp : 3K/4K
Beam Angle : 40°
Light Source : Cree

15,500.00



Spl Offer

Available Colour Temperature Range

LF-LL-789


Power : 20w
Cutout : Ø120 x H110mm

Colour Temp : 3K/4K/6K
Beam Angle : 32°
Light Source : Cree


1,400.00

REMOTE

LED 2.4G REMOTE



1,450.00



New

Available Colour Temperature Range

LF-LL-1756/ 1757

Power : 7w/12w
Cutout : Ø48/58mm

Light Source : Cree
Beam Angle : 36°
Colour Temp : 3K/4K/6K

7w 1,700.00
12w 1,950.00

New

Available Colour Temperature Range

LF-LL-1812A/1812

Power : 7w/12w
Cutout : Ø48/58mm

Light Source : GoldiLED
Beam Angle : 36°
T/D : 3K-4K-6K

Tunable Dimmable

7w 3,300.00
12w 3,650.00

PINSPOT SERIES



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-1756

Power : 5w
Size : 55x43mm
Cutout : Ø50mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k/6k
Beam Angle : 30°

1550.00



New

Available Colour Temperature Range


6K
4K
3K

LF-LL-1757

Power : 7w
Size : 65x60mm
Cutout : Ø54mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k/6k
Beam Angle : 15°

1400.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1206

Power : 8.9w
Size : 68x65mm
Cutout : Ø62mm

Body Colour : White/Black
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 16.8°

5500.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1758

Power : 6w
Size : 70x40mm
Cutout : Ø65mm

LF-LL-1759

Power : 9w
Size : 100x40mm
Cutout : Ø95mm

LF-LL-1760

Power : 12w
Size : 160x40mm
Cutout : Ø155mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k/6k
Beam angle: 30°

6W 2800.00
9W 3250.00
12W 4550.00

GRILLE LIGHT SERIES



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-1340

Power : 1x9w/15w
Size of fixture: 110x110x75mm
Cutout : Ø95mm

Body Colour : Matt White
Colour Temp : 3K/4k/6k

9w 3200.00
15w 3450.00



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-1341

Power : 2x9w/15w
Size of fixture: 205x110x75mm
Cutout : Ø190x95mm

Body Colour : White
Colour Temp : 3K/4k/6k

2x9w 4700.00
2x15w 7500.00



Available Colour Temperature Range


6K
4K
3K

LF-LL-1339

Power : 3x9w/15w
Size of fixture: 290x110x75mm
Cutout : Ø275x95mm

Body Colour : White
Colour Temp : 3K/4k

3x9w 11050.00
3x15w 12950.00




LF-LL-1218

Power : 3w
Cutout : Ø36x36mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k
Beam Angle : 30°

1750.00




LF-LL-1219

Power : 6w
Cutout : Ø36x65mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k
Beam Angle : 30°

2100.00




LF-LL-1220

Power : 12w
Cutout : Ø36x140mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k
Beam Angle : 30°

3400.00




LF-LL-1221

Power : 24w
Cutout : Ø36x273mm

Body Colour : White/Black
Light Source : Osram
Colour Temp : 3K/4k
Beam Angle : 30°

5800.00



LF-LL-1488

Power : 2.1w SMD
Body Colour : White/Black
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 90°

Cutout : Ø83x30mm

Trim 2950.00

Trimless 3100.00



LF-LL-1489

Power : 4.2w SMD
Body Colour : White/Black
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 90°

Cutout : Ø151x30mm


Trim 3850.00

Trimless 3950.00

FRONT MAINTENANCE LINEAR SERIES



New



LF-LL-2923 / 2925 Trim/Trimless

Power : 2x3w
Size : 96x54x55mm/80x85x50mm
Cutout : Ø88x46mm/88x50mm


Body Colour : White/Black Module : White/Black
Light Source : Bridgelux
Colour Temp : 3K/4k

Reflector : Black, White **LF-LL-2923 3950.00**

Black Chrome **LF-LL-2925 4350.00**



New



LF-LL-2924 / 2926 Trim/Trimless

Power : 4x3w
Size : 178x54x55mm/160x85x55mm
Cutout : Ø170x46mm/170x50mm

Body Colour : Black/White Module : White/Black
Light Source : Bridgelux
Colour Temp : 3K/4k

Reflector : Black, White **LF-LL-2924 5550.00**

Black Chrome **LF-LL-2926 6150.00**

FRONT MAINTENANCE ADJUSTABLE LINEAR SERIES



LF-LL-2933 / 2935 Trim/Trimless

Power : 2x3w
 Size : 112x79x72mm/102x109x72mm
 Cutout : Ø103x70mm/103x74mm

Body Colour : White/Black Module : White/Black
 Light Source : Bridgelux
 Colour Temp : 3K/4k

Reflector : Black,White	LF-LL-2933	4950.00
Black Chrome	LF-LL-2935	5050.00

Available Colour Temperature Range: 3K, 4K



LF-LL-2934 / 2936 Trim/Trimless


Power : 4x3w
 Size : 195x79x72mm/160x109x72mm
 Cutout : Ø187x70mm/187x70mm

Body Colour : Black/White Module : White/Black
 Light Source : Bridgelux
 Colour Temp : 3K/4k

Reflector : Black,White	LF-LL-2934	6650.00
Black Chrome	LF-LL-2936	6800.00

Available Colour Temperature Range: 3K, 4K

SLIM LINEAR SERIES



LF-LL-1762 / 1763 / 1764 / 1765

Power : 4w/6w/10w/20w
 Size : 52x32x40mm / 62x32x40mm / 108x32x40mm / 204x32x40mm
 Cutout : Ø46x20mm / 56x26mm / 102x26mm / 198x26mm

Body Colour : White/Black

	Tunable Dimmable 3k-4k-6k	Colour Temp 3K/4K/6K
4w		1125.00
6w	2900.00	1300.00
10w	3600.00	1900.00
20w	5400.00	3100.00

Available Colour Temperature Range: 3K, 4K, 6K



7W&12W/SW+WH



12W/SB+RG




7W/SB+DB



12W/SB+DB



12W/SB+RG




12W & 18W/SW+BK



12W & 24W/SW+BK

12W&24W/SB+DB



TURBO SERIES SURFACE & RECESSED ANTIGLARE

TRIM SERIES

SURFACE SERIES

TRIMLESS SERIES



12W&18W/SW+WH



12W/SW+RG



12W/SB+DB

12W & 24W/SW+BK



12W/SB+CH



12W/SB+CH



12W/SW+DB



7W/SB+DB



12W/SB+RG



24W/SW+WH



12W/SB+CH

TURBO SERIES



New

LF-LL-2914

Power : 7w
Cutout : Ø80mm
Size : 90x50mm

Body Colour : White/Black
Reflector : White / Black
Titanium / Rose Gold
Colour Temp : 3K/4k

LF-LL-2915

12w
Ø105mm
115x36mm


Light Source : Cree/Osram
Beam Angle : 45°
Driver : HC Driver

LF-LL-2916

18w
Ø115mm
128x36mm

TRIM SERIES

7W **1550.00**
12W **2125.00**
18W **2680.00**



New

LF-LL-2917

Power : 7w
Size : 78x58mm

Body Colour : White/Black
Reflector : White / Black
Titanium / Rose Gold
Colour Temp : 3K/4k

LF-LL-2918

12w
100x58mm


Light Source : Cree/Osram
Beam Angle : 45°
Driver : HC Driver

LF-LL-2919

18w
115x58mm

SURFACE SERIES

7W **2125.00**
12W **2750.00**
18W **3425.00**



New

LF-LL-2920

Power : 7w
Cutout : Ø80mm
Size : 138x78x50mm

Body Colour : White/Black
Reflector : White / Black
Titanium / Rose Gold
Colour Temp : 3K/4k

LF-LL-2921

12w
Ø100mm
161x100x36mm


Light Source : Cree/Osram
Beam Angle : 45°
Driver : HC Driver

LF-LL-2922

18w
Ø115mm
177x115x36mm

TRIMLESS SERIES

7W **2050.00**
12W **2680.00**
18W **3300.00**



COB TRIMLESS DOWNLIGHTS





LF-LL-852/853

Power : 7w/13w
Cutout : Ø92x70mm/Ø92x106mm

Reflector : White/Black
Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 30°

7W 3900.00
13W 5400.00




LF-LL-854/855

Power : 7w/13w
Cutout : Ø113x70mm/113x106mm

Reflector : White/Black
Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 30°

7W 3800.00
13W 5300.00




LF-LL-1362A

Power : 13w
Cutout : Ø110mm

Body Colour : White/Black
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 38°

5500.00



LF-LL-2052

Power : 5w
Cutout : Ø65mm
Size : 115x70mm

Body Colour : White/Black
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 38°



LF-LL-2053

9w
Cutout : Ø85mm
Size : 150x83mm


Reflector : White / Matt Black
Titanium



LF-LL-2057

15w
Cutout : Ø85mm
Size : 150x100mm

5W 2700.00
9W 3300.00
15W 4300.00



New

SEMI COB TRIMLESS DOWNLIGHTS




LF-LL-2901/2902/1407


Power : 9w/15w/24w
Cutout : Ø75mm/75mm/100mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

9w 2750.00
15w 3475.00
24w 5500.00



New




LF-LL-1351/1352

Power : 12w/15w
Cutout : Ø77x77mm/Ø155x77mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k

12w 1850.00
15w 2050.00



New




LF-LL-626/627

Power : 7w/13w
Cutout : Ø76mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 30°

7w 3900.00
13w 5700.00



WALLWASHER COB RECESSED



LF-LL-1806/1807

Power : 12w/20w
Cutout : Ø72mm/Ø92mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k

12w	1875.00
15w	2750.00

Available Colour Temperature Range: 3K, 4K



LF-LL-1813/1814

Power : 12w/20w
Cutout : Ø72mm/Ø92mm

Body Colour : White
Light Source : Goldi LED
Tunable : 3K-4k
Dimmable

12w	3450.00
15w	4750.00

Available Colour Temperature Range: 3K, 4K



LF-LL-731

Power : 5w
Cutout : Ø80mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 36°

5850.00

Available Colour Temperature Range: 3K, 4K



LF-LL-1337

Power : 12w
Cutout : Ø82mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

3750.00

Available Colour Temperature Range: 3K, 4K



LF-LL-526/527

Power : 15w/30w
Cutout : Ø95mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 40°

15w	3850.00
30w	5950.00

Available Colour Temperature Range: 3K, 4K




LF-LL-1362A

Power : 13w
Cutout : Ø110mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 40°

5400.00

Available Colour Temperature Range: 3K, 4K



LF-LL-536

Power : 9w/15w
Cutout : Ø75mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

9w	3100.00
15w	3800.00

Available Colour Temperature Range: 3K, 4K




LF-LL-537

Power : 9w/15w
Cutout : Ø75mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 40°

9w	3100.00
15w	3800.00

Available Colour Temperature Range: 3K, 4K

New

Available Colour Temperature Range

LF-LL-1766

Power : 6w
Cutout : Ø70x35mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 36°

6400.00



Available Colour Temperature Range

LF-LL-1408

Power : 9w
Cutout : Ø100mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 85°

6900.00



Available Colour Temperature Range

LF-LL-1365/1366

Power : 3.w/11w
Cutout : Ø49mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 36°

3.2w 4200.00
11w 7500.00



Spl offer

Available Colour Temperature Range

LF-LL-358

Power : 16w
Cutout : Ø110mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k/6k
Beam Angle : 40°

2500.00



Spl offer

Available Colour Temperature Range

LF-LL-444

Power : 28w
Cutout : Ø150mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/6k
Beam Angle : 40°

3400.00



Spl offer

Available Colour Temperature Range

LF-LL-445

Power : 41w
Cutout : Ø130mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K
Beam Angle : 40°

5350.00



Spl offer

Available Colour Temperature Range

LF-LL-1372

Power : 6x2w

Body Colour : Black
Light Source : Cree Xp
Colour Temp : 3K/4k
Beam Angle : 24°

5200.00



Spl offer

Available Colour Temperature Range

LF-LL-711

Power : 18w
Cutout : Ø133mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K
Beam Angle : 60°

2700.00



Spl offer

Available Colour Temperature Range

LF-LL-904

Power : 30w
Cutout : Ø130mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 25°

4500.00

TITANIUM SERIES



Available Colour Temperature Range

LF-LL-1330/1331

Power : 9w/15w
Cutout : Ø60mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

9w	2850.00
15w	3550.00



Available Colour Temperature Range

LF-LL-1475/1481

Power : 6w/22w
Cutout : Ø55mm/90mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°/24°

6w	2400.00
22w	4600.00



Available Colour Temperature Range

LF-LL-1477

Power : 15w
Cutout : Ø75mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

Round	4900.00
Square	4950.00



Available Colour Temperature Range

LF-LL-1476

Power : 9w
Cutout : Ø75mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

Round	4100.00
Square	4150.00



Available Colour Temperature Range

LF-LL-2905

Power : 2x9w
Cutout : Ø140x75x54mm

Body Colour : White
Light Source : Cree
Reflector : Titanium / Black

LF-LL-2906

2x15w
Ø140x75x85mm

Colour Temp : 3K/4k
Beam Angle : 40°

2x9w	5800.00
2x15w	7200.00



Available Colour Temperature Range

LF-LL-2932

Power : 9w
Cutout : Ø40mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 36°

3700.00

COB COMPACT SPOTS RECESSED



New



Available Colour Temperature Range

6K
4K
3K

LF-LL-1770

Power : 5w
Cutout : Ø33mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k/6k
Beam Angle : 30°

1500.00

New



Available Colour Temperature Range

6K
4K
3K

LF-LL-1771

Power : 9w
Cutout : Ø43mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k/6k
Beam Angle : 30°

1900.00

New



Available Colour Temperature Range


6K
4K
3K

LF-LL-1772

Power : 15w
Cutout : Ø43mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k/6k
Beam Angle : 30°

2925.00



Available Colour Temperature Range

4K
3K

New



LF-LL-2927/2928

Power : 7w/9w
Cutout : Ø36/47mm


Body Colour : White/Black
Driver : Triac
Dimmable

Colour Temp : 3K/4k
Beam Angle : 30°
Light Source : Teen

7w 4950.00
9w 6600.00

TRACK LIGHTS



TRACK 1mtr
TRACK 2mtr

Body Colour : White/Black

1mtr 2250.00
2mtr 4350.00



Available Colour Temperature Range

4K
3K

LF-LL-624

Power : 8w
Size : Ø43mm

Body Colour : White
Light Source : Lumen
Colour Temp : 3K/4k
Beam Angle : 24°

4200.00

Spl offer



Available Colour Temperature Range

4K
3K


LF-LL-529/530

Power : 25w/35w

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 30°

25w 3950.00
35w 4050.00


TRACK LIGHTS



LF-LL-2054/2055/2056

Power : 15w/24w/35w


Body Colour : White/Black	15w	3650.00
Light Source : Bridgelux	24w	5650.00
Colour Temp : 3K/4k	35w	6200.00
Beam Angle : 38°		



LF-LL-1905

Power : 10w/20w/30w
 Size : 130x60x132mm/ 160x80x150mm/
 165x90x150mm

		Colour Temp.	Tunable Dimmable
Body Colour : White/Black	10w	2900.00	4450.00
Light Source : Cree	20w	3950.00	5800.00
Colour Temp : 3K/4k/6k	30w	4700.00	6200.00
T/D : 3K-4k-6k			
Beam Angle : 38°			



Brass Track Spot



LF-LL-1915

Power : 6w
 Size : 60mm

Body Colour : Brass
 Light Source : GU10
 Colour Temp : 3K

1850.00

New





IP54



LF-LL-856

Power : 7w
Cutout : Ø65mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 36°

3700.00

Available Colour Temperature Range: 3K, 4K

IP54



LF-LL-1343/1344

Power : 7w/15w
Cutout : Ø89mm/120mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 36°

7w 2650.00
15w 3400.00

Available Colour Temperature Range: 3K, 4K

IP54



LF-LL-1449

Power : 6.4w+8w
Cutout : Ø70mm

Body Colour : Black
Light Source : Edison/Lumileds
Colour Temp : 3K
Beam Angle : 20°

7300.00

Available Colour Temperature Range: 3K, 4K

IP65



LF-LL-1768/1769


Power : 12w/20w
Cutout : Ø75mm

Body Colour : White
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 45°

12w 3050.00
20w 3950.00

Available Colour Temperature Range: 3K, 4K

IP65



LF-LL-1767


Power : 15w
Cutout : Ø80mm

Body Colour : White/Black
Reflectors : White/Bright Silver / Matt Silver
Light Source : Bridgelux
Colour Temp : 3K/4k
Beam Angle : 40°

3600.00

Available Colour Temperature Range: 3K, 4K

IP65



LF-LL-1773/1774

Power : 15w/22w
Cutout : Ø110mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 55°

15w 4400.00
22w 5050.00

Available Colour Temperature Range: 3K, 4K

IP65



LF-LL-1775/1776

Power : 15w/22w
Cutout : Ø110x110mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 57°

15w 4700.00
22w 5300.00

Available Colour Temperature Range: 3K, 4K

IP65



LF-LL-2909/2910



Power : 9w/15w

IP rating : IP 65
Light Source : Cree
Colour Temp : 3K/4k
Beam Angle : 40°

9w 2800.00
15w 3550.00

Available Colour Temperature Range: 3K, 4K

REFLECTOR COB DOWNLIGHTS

LF-LL-1246

Power : 12w/15w
Cutout : Ø76mm

Body Colour : Black- Copper, White - Chrome, White - gold
White - Black

Light Source : Cree

Colour Temp : 3K/4k	12W	1850.00
Beam Angle : 30°	15W	2050.00




LF-LL-1421A/1421B

Power : 12w/15w
Cutout : Ø76mm

Body Colour : Black- Copper, White - Chrome, White - gold
White - Black

Light Source : Cree

T/D : 3K-4k-6k	12W	3050.00
Beam Angle : 30°	15W	3330.00




LF-LL-1777/1778/1779

Power : 7w/12w/20w
Cutout : Ø65mm/75mm/85mm

Body Colour : White / Black
Reflectors : White / Black
Rosegold / Titanium

	7W	1450.00
Light Source : Cree	12W	1900.00
Colour Temp : 3K/4k	20W	2850.00
Beam Angle : 30°		






LF-LL-1780/1781

Power : 7w/12w
Cutout : Ø65mm

Body Colour : White / Black
Reflectors : White / Black/Titanium
Rosegold / Gold

Type : Tilttable

Light Source : Cree	7W	1650.00
Colour Temp : 3K/4k	12W	2100.00
Beam Angle : 30°		

LF-LL-1782/1783

Power : 12w/24w
Cutout : Ø70mm

Body Colour : White / Black
Reflectors : White / Black/Titanium Black
Rosegold / Gold/ Matt Silver

Light Source : Bridgelux

Colour Temp : 3K/4k	12W	1900.00
Beam Angle : 40°	24W	3200.00




Spl offer

Available Colour Temperature Range

LF-LL-515

Power : 29w

Body Colour : White
Light Source : Osram
Colour Temp : 3K
Beam Angle : 120°

5450.00



Spl offer

Available Colour Temperature Range

LF-LL-495

Power : 16w

Body Colour : White
Light Source : Epistar 3014
Colour Temp : 3K/4k
Beam Angle : 100°

3400.00



Spl offer

Available Colour Temperature Range

LF-LL-496

Power : 16w

Body Colour : White
Light Source : Epistar 3014
Colour Temp : 4k
Beam Angle : 100°

3400.00



Spl offer

Available Colour Temperature Range

LF-LL-860

Power : 20w

Body Colour : White
Light Source : Everlight
Colour Temp : 6K
Beam Angle : 100°

2350.00



Spl offer

Available Colour Temperature Range

LF-LL-328

Power : 30w

Body Colour : White
Light Source : SMD 3014 Epistar
Colour Temp : 3K/4k
Beam Angle : 110°

2000.00



Spl offer


Available Colour Temperature Range

LF-LL-600S

Power : 40w

Body Colour : White
Light Source : SMD 3014 Epistar
Colour Temp : 3k
Beam Angle : 110°

2300.00



New

Available Colour Temperature Range

LF-LL-3805

Power : 40w/60w

Diameter : 450mm/600mm

Body : Aluminium Body
Acrylic Lens

Colour Temp : 3k/4k/6K
Beam Angle : 120°

40W 12150.00

60W 13750.00

SURFACE CEILING SMD

New

LF-LL-3806

Power : 80w
Diameter : 600mm

Body : Aluminium Body
Acrylic Lens

Colour Temp : 3k/4k/6K
Beam Angle : 120°

28500.00




Spl offer

LF-LL-1203/1204

Power : 10w/20w

Body Colour : White
Light Source : Lumens
Colour Temp : 3K
Beam Angle : 90°

10w 4800.00
20w 7200.00



Spl offer

LF-LL-633/634

Power : 15w/25w

Body Colour : White
Light Source : Edison
Colour Temp : 3K
Beam Angle : 100°

15w 3500.00
25w 6500.00




Spl offer

LF-LL-744

Power : 12w

Body Colour : White
Light Source : Samsung
Colour Temp : 3k
Beam Angle : 60°

6200.00



Spl offer

LF-LL-777

Power : 5w

Body Colour : White
Light Source : SMD 3014 Epistar
Colour Temp : 3K
Beam Angle : 120°

1500.00



Spl offer

LF-LL-779

Power : 10w

Body Colour : White
Light Source : SMD 3014 Epistar
Colour Temp : 3K
Beam Angle : 120°

2800.00



Spl offer

LF-LL-601S

Power : 20w
Size : 146x596x48mm

Body Colour : White
Light Source : SMD 3014 Epistar
Colour Temp : 3k/4k/6k
Beam Angle : 100°

1750.00







LF-LL-1293/1294

Power : 6w/12w
Size : 50 x 50 x H75mm / 76 x 76 x H100mm

Light Source : Cree
Beam Angle : 30°
Colour Temp : 3K/4K

2,900.00

4,950.00





LF-LL-1354

Power : 2x15w

Reflector : White/ Black-Gold
Beam Angle : 32°
Colour Temp : 3K
Light Source : Bridgelux
Body Colour : White

9,900.00




LF-LL-1335/1336

Power : 9w/15w
Size : 65 x H126mm / 80 x H152mm

Light Source : Cree
Beam Angle : 38°
Colour Temp : 3K/4K
Reflector : Titanium

3,750.00

4,800.00




LF-LL-1367

Power : 8w
Size : Ø60 x H60mm

Beam Angle : 24°
Colour Temp : 3K/4K
Light Source : Lumens
Body Colour : White + Black/Black

3,600.00




LF-LL-1368

Power : 8w
Size : 60 x 60 x H60mm

Beam Angle : 24°
Colour Temp : 3K/4K
Light Source : Lumens
Body Colour : White + Black/Black

3,950.00




LF-LL-1358/1359

Power : 10w/15w
Size : 95 x H100mm

Light Source : Bridgelux
Beam Angle : 30°
T/D : 3K
Type : Round/ Square
Body Colour : White/Black
Reflector : Chrome/ Black/ Copper

10w 6,150.00

15w 6,500.00



SURFACE COB DOWNLIGHTS



Available Colour Temperature Range

LF-LL-1457

Power : 4x2w
Cutout : Ø28mm
Size : 60.5 x 60.5mm

Body Colour : Black
Beam Angle : 24°
Colour Temp : 3K/4K
Light Source : Cree

5,600.00

Spl Offer



Available Colour Temperature Range

WALL WASHER ADJUSTABLE

LF-LL-1356

Power : 13.9w
Cutout : Ø26mm
Size : Ø25 x H24mm

Light Source : Bridgelux
Beam Angle : 32°
Colour Temp : 3K
Body Colour : White

5,400.00



Available Colour Temperature Range


WALL WASHER FIXED

LF-LL-1472

Power : 9w
Cutout : Ø86 x H90mm

Body Colour : White
Beam Angle : 30°
T/D : 3K/4K
Light Source : Citizen

7,950.00



Available Colour Temperature Range

Surface Linear Laser

LF-LL-1519

Power : 21w
Cutout : 270 x 34.5 x H55mm

Body Colour : White
Beam Angle : 30°
Colour Temp : 3K/4K
Light Source : Lumileds

12,500.00

Spl Offer



Available Colour Temperature Range

TILTABLE ADJUSTABLE

LF-LL-1346


Power : 7w Adjustable

Light Source : Lumileds
Body Colour : Matt White/Matt Black
Coffee

Colour Temp : 3K
Beam Angle : 36°

8,200.00

Spl Offer



Available Colour Temperature Range

LF-LL-620

Power : 8w

Body Colour : White
Beam Angle : 30°
Colour Temp : 4K/6K
Light Source : Lumens

1,650.00



Available Colour Temperature Range

LF-LL-1761 **LF-LL-1762** **LF-LL-1763**

Power : 7w 12w 20w
Size : 60 x H85mm 75 x H95mm 86 x H110mm

Reflector : Matt Black/ Matt White/ Rose Gold/ Matt Gold / Titanium Black
Beam Angle : 40°
Colour Temp : 3K
Body Colour : White/ Black

7w 1,650.00
12w 2,800.00
20w 3,800.00





New

LF-LL-2930

Power : 11w
 Cutout : Ø28mm
 Size : 60.5 x 60.5mm

Body Colour : White/Gold-Black
 Beam Angle : 24°
 Colour Temp : 3K/4K
 Light Source : Cree

9,700.00



Spl Offer




LF-LL-621

Power : 8w
 Body Colour : White
 Beam Angle : 30°
 Colour Temp : 6K
 Light Source : Lumens

1,850.00



Spl Offer



LF-LL-115

Power : 4w
 Beam Angle : 90°
 Colour Temp : 6K
 Light Source : Lumens

1,150.00



Spl Offer



LF-LL-116

Power : 4w
 Beam Angle : 90°
 Colour Temp : 6K
 Light Source : Lumens

1,250.00

SURFACE COB DOWNLIGHTS



LF-LL-2978

Power : 6w
Size : 75 x H300mm/75 x H450mm

Colour Temp : 3K
Body Colour : Black-White/Black-Gold
Light Source : GU10

H300 4,725.00
H450 5,750.00

New

Available Colour Temperature Range

3K

SURFACE ADJUSTABLE COB



LF-LL-624

Power : 8w
Size : 50 x H130mm

Beam Angle : 24°
Colour Temp : 3K/4K
Light Source : Lumens

Available Colour Temperature Range

4K
3K

3,950.00



LF-LL-657

Power : 5w
Size : 42 x H120mm

Beam Angle : 40°
Colour Temp : 3K
Light Source : Edison

Available Colour Temperature Range

3K

6,950.00



LF-LL-1345

Power : 7w
Size : 55 x 55 x H105mm


Beam Angle : 30°
Colour Temp : 3K
Light Source : Lumileds

Available Colour Temperature Range

3K

6,750.00





Available
Colour Temperature
Range

4K
3K


LF-LL-1338/1342

Power : 20w/30w
Size : 65 x H236mm

Beam Angle : 38°
Colour Temp : 3K/4K
Light Source : Cree

20w 3,750.00

30w 5,700.00





Available
Colour Temperature
Range

4K
3K

LF-LL-1471

Power : 2w
Size : 38 x H165mm

Beam Angle : 5°
Colour Temp : 3K/4K
Light Source : Lumileds

7,500.00



Available
Colour Temperature
Range


4K

LF-LL-1209

Power : 9w

Beam Angle : 30°
Colour Temp : 4K
Light Source : Cree

2,850.00



Available
Colour Temperature
Range

4K
3K

LF-LL-641/642

Power : 7w/15w

Beam Angle : 30°
Colour Temp : 3K
Light Source : Sharp

7w 6,000.00

15w 7,000.00



Available
Colour Temperature
Range

3K

LF-LL-643

Power : 15w
Size : 200 x H94mm

Beam Angle : 120°
Colour Temp : 3K
Light Source : Citizen

9,950.00



STEPLIGHTS



Available Colour Temperature Range

LF-LL-050

Power : 3w
Cutout : Ø44xH30mm

Body Colour : White

Light Source : Cree

Colour Temp : 3K

Driver : External

2,000.00



Available Colour Temperature Range

LF-LL-1310

Power : 1w / 3w
Size : 46x48mm

Body Colour : White, Matt black, Grey
AB, Wooden

Light Source : Cree

Colour Temp : 3K

1w 3200.00

3w 3600.00



MAGNETIC TRACK SERIES



New

Available Colour Temperature Range

LF-LL-3005 A / B / C (Recess Trimless Track Rod)

Power : Upto 300w
Size : 1m, 2m, 3m

Body Colour : Matt Black

Voltage : DC48V

1m 5250.00

2m 10350.00

3m 15750.00



New

Available Colour Temperature Range

LF-LL-3006 A / B (Surface Mount Track)

Power : Upto 300w
Size : 1m, 2m

Body Colour : Matt Black

Voltage : DC48V

1m 4800.00

2m 9750.00



New

Available Colour Temperature Range

LF-LL-3003 (Laser Fixed Spot)

Power : 12w
Size : 48mm x 297mm

Body Colour : Black, White

Voltage : DC48V

Colour Temp : 3K,4K

12w 5100.00



LF-LL-3000
(Diffuser Fixed)

Power : 8w
Size : 48x300mm

Body Colour : Matt Black
Beam Angle : 120°
Colour Temp : 3K/4K

LF-LL-3001

: 16w
: 48x600mm

LF-LL-3009

: 16w - L Shaped
: 47x320mm

New

Available Colour Temperature Range

8w 4250.00

16w 5900.00

L16w 8300.00

New

Available Colour Temperature Range

LF-LL-3002
(Laser Adjustable Spot)

Power : 12w

Body Colour : Black / White
Beam Angle : 15°/30°/45°
Colour Temp : 3K/4K

7600.00

New

Available Colour Temperature Range

LF-LL-3007
(Spotlight Adjustable)

Power : 7w

Body Colour : Black / White
Beam Angle : 3°/15°/24°/38°
Colour Temp : 3K/4K

5400.00

MAGNETIC TRACK SERIES

New

Available
Colour Temperature
Range

4K
3K

LF-LL-3004
(Pendant Magnetic)

Power : 7w
Size : Ø58x250mm

Body Colour : Matt Black/White
Beam Angle : 15°/24°/38°
Colour Temp : 3K/4K


7300.00

ACCESSORIES



90° Connector

3750.00



Suspension Kit

350.00/set




Side Converter
Plate

335.00




End Cap

335.00



Live End
Connector

1250.00



Double End
Connector

2300.00



Back End
Connector


600.00




48V 150w
Meanwell Driver

4600.00






LF-LL-1784
Recessed Profile
 Size : 24.7x7mm
 Application : 17mm Recessed
 Body Colour : Matt Aluminium Standard
 Length : 2 mtrs
190/mtr



LF-LL-1785
Recessed Profile
 Size : 12.5x9mm
 Application : 8mm Recessed
 Body Colour : Matt Aluminium Standard
 Length : 2 mtrs
185/mtr



LF-LL-1786
Recessed Profile
 Size : 65x35mm
 Application : 50mm Recessed
 Body Colour : Matt Aluminium Standard
 Length : 2 mtrs
1325/mtr



LF-LL-1787
Recessed Profile
 Size : 30.3x9.8mm
 Application : 25mm Recessed
 Body Colour : Matt Aluminium Standard
 Length : 2.4 mtrs
300/mtr



LF-LL-1788
Surface Profile
 Size : 23.5x9.8mm
 Application : 25mm Surface
 Body Colour : Matt Aluminium Standard
 Length : 2 mtrs
290/mtr




LF-LL-1789
Surface Profile
 Size : 8x9mm
 Application : 8mm Surface
 Body Colour : Matt Aluminium Standard
 Length : 2 mtrs
170/mtr

ALUMINIUM PROFILES



New

LF-LL-1790



Surface Profile

Size : 17.4x7mm


Application : 17mm Surface
 Body Colour : Matt Aluminium
 Standard
 Length : 2 mtrs

185/mtr



New

LF-LL-1791



Corner Profile

Size : 15.8x15.8mm


Body Colour : Matt Aluminium
 Standard
 Length : 2 mtrs

200/mtr



New

LF-LL-1792



Wall washer

Size : 40.8x18mm


Body Colour : Matt Aluminium
 Standard
 Length : 2 mtrs

925/mtr



New

LF-LL-1793



Bendable/Flexible

Size : 15x6mm


Body Colour : Matt Aluminium
 Standard
 Length : 2 mtrs

265/mtr



New

LF-LL-1794



Skirting Profile

Size : 65x21mm


Body Colour : Matt Aluminium
 Standard
 Length : 2 mtrs

925/mtr



New

LF-LL-1795



Rimless Profile

Size : 52.5x13.3mm


Body Colour : Matt Aluminium
 Standard
 Length : 2.5 mtrs

575/mtr



New

LF-LL-1796



Outer Corner Rimless Profile

Size : 50x24mm


Body Colour : Matt Aluminium
 Standard
 Length : 2mtrs

675/mtr



New

LF-LL-1797



Surface Black Profile

Size : 17.4x7mm


Application : 17mm Surface
 Body Colour : Matt Black
 Standard
 Length : 2 mtrs

280/mtr



New

LF-LL-1798



Recessed Black Profile

Size : 24.7x7mm

Application : 17mm Surface
 Body Colour : Matt Black
 Standard
 Length : 2 mtrs

290/mtr



New

LF-LL-1799

Corner Black Profile

Size : 15.8x15.8mm

Body Colour : Black
Standard
Length : 2 mtrs



290/mtr




New

LF-LL-1800

Hanger Profile

Size : 15x29.5mm

Body Colour : Matt Aluminium
Standard
Length : 2 mtrs



625/mtr




New

LF-LL-1801


Glass Shelf Profile

Size : 11.2x11.2mm

Body Colour : Matt Aluminium
Standard
Length : 2 mtrs



330/mtr




New

LF-LL-1802

2 Way Wardrobe Profile

Size : 20x28mm

Body Colour : Matt Aluminium
Standard
Length : 2 mtrs



560/mtr

HIGH BAY SERIES




LF-LL-150/151/152/153 (with 10KV Surge Protection Device (SPD))

Power : 50w/100w/150w/200w
 IP Rating : Ip66

Light Source : Osram
 Colour Temp : 3k/4k/6k

Size :240x170mm	5250.00
Size :300x180mm	9000.00
Size :350x180mm	13200.00
Size :400x190mm	21000.00




New

LF-LL-1803/1804/1805

Power : 50w/100w/150w
 IP Rating : Ip66

Light Source : Osram	50W	5750.00
Colour Temp : 3k/4k/6k	100W	9600.00
	150W	10500.00




LF-LL-154/155/156 (with 10KV Surge Protection Device (SPD))

Power : 50w/100w/150w
 IP Rating : Ip66

Light Source : Osram
 Colour Temp : 3k/4k/6k
 Driver : Meanwell/Philips

Size :390x340mm	11400.00
Size :390x410mm	15000.00
Size :390x460mm	18200.00





New

LF-LL-2666

Power : 18w
Size : 17x14x1200mm

Light Source : Bridgelux
Body Colour : Chrome
Application : Wardrobe
Kitchen/Bookshelf

1850.00

Available Colour Temperature Range

6K

4K

3K

New

LF-LL-2650

UPDOWN LIGHT

Power : 40w
Size : 52x220x1200mm

Light Source : Bridgelux
Body Colour : Matt Black - Inside
Orange
Colour Temp : 3k/4k/6k

16500.00

Available Colour Temperature Range

6K

4K

3K

New

LF-LL-2660

Laser spots , Diffuser Cost will be extra.
As per design required.

Body Colour : Black

Size: 600mm profile 36350.00

900mm profile 55500.00

1200mm profile 69250.00

Available Colour Temperature Range

6K

4K

3K

New

LF-LL-2662

Power : 42w
Size : 40x82x1200mm

Light Source : Bridgelux 3030 SMD
Body Colour : Black

10750.00

Available Colour Temperature Range

6K

4K

3K

New

LF-LL-2655/2654

Power : 36w
Size : 52x75x1200mm

Light Source : Bridgelux
Body Colour : White / Black / Wooden

Colour Temp : 3k/4k/6k 6300.00

Tunable Dimmable : 3k-4k-6k 9000.00

Available Colour Temperature Range

6K

4K

3K

Can be customised upto 12ft.

LINEAR SUSPENDED LIGHTING





New

LF-LL-2664

Power : 40w
Size : 65x60x1200mm

Light Source : Bridgelux
Body Colour : Anodised Aluminium
Type : Linkable Trunking Lens

10800.00

Available Colour Temperature Range

6K

4K

3K



**Honeycomb louvre
Antiglare UGR**



New

LF-LL-2661

Power : 36w
Size : 52x75x1200mm

Light Source : Bridgelux
Body Colour : White/Black


8100.00


Available Colour Temperature Range

6K

4K

3K





New

LF-LL-2663

Power : 40w
Size : 68x54x1200mm

Light Source : Bridgelux
Body Colour : Anodised Aluminium
Type : Linkable Trunking Lens

7750.00

Available Colour Temperature Range

6K

4K

3K



Down/Updown

LF-LL-2665

Power : 42w
Size : 125x20x1200mm

Light Source : Bridgelux 2835
Body Colour : Grey Powder Coated

9100.00

New

Available Colour Temperature Range

6K

4K

3K

LF-LL-2668

Power : 48w
Size : 600x80mm

Light Source : Bridgelux
Body Colour : Black/White

11250.00

New

Available Colour Temperature Range

6K

4K

3K

LF-LL-2668A

Power : 48w
Size : 600x80mm

Light Source : Bridgelux
Body Colour : Black/White

11000.00

New

Available Colour Temperature Range

6K

4K

3K

LF-LL-2669

Power : 108w
Size : 600mmx2ft each side x80mm

Light Source : Bridgelux
Body Colour : Black/White

34500.00

New

Available Colour Temperature Range

6K

4K

3K

LF-LL-2667

Power : 18w
Size : 18x18x1200

Light Source : Bridgelux
Body Colour : Matt Anodised Aluminium

1900.00

New

Available Colour Temperature Range


6K

4K

3K

Can be customised to any length.

WALL LIGHTS



Available Colour Temperature Range

LF-LL-1237

Power : 10w
Size : 47x200x47mm

Light Source : Bridgelux
Finishes : Chrome, Brushed Antique Brass, Matt White
Antique Copper, Matt Gold, Shining Gold, Matt Black and Pearl White
Colour Temp : 3K

6450.00



Available Colour Temperature Range


(Adjustable Wall Light)

LF-LL-1454/1455

Power : 5w/7w
Size : 220mm/260mm

Light Source : Bridgelux
Colour Temp : 3K

5W 5300.00
7W 7300.00



Available Colour Temperature Range

LF-LL-148

Power : 2x3x1w
Size : 124x180x52mm

Light Source : Cree
Colour Temp : 3K

LF-LL-162

Power : 2x6x1w
Size : 214x280x52mm

2x3x1w 5250.00
2x6x1w 10300.00



Available Colour Temperature Range

LF-LL-1808

Power : 12w
Size : L110xB110xH50mm

Light Source : Bridgelux
Body Center : Antique Brass
Colour Temp : 3K

12w 3800.00
24w 7350.00

LF-LL-1809

Power : 24w
Size : L450xB110xH50mm




Available Colour Temperature Range

LF-LL-1470

Power : 5w
Size : 300x356x40mm

Light Source : Edison
Colour Temp : 3K

9000.00



LF-LL-846

Power : 9w
Size : 210x102x85mm

Light Source : Cree
Colour Temp : 3K

7150.00



LF-LL-2975

Power : 10w
Size : L268xB168xH92mm

Colour Temp : 3k/4k





LF-LL-2976

Power : 20w
Size : L535xB168xH92mm

10W 5200.00
20W 10400.00

New




LF-LL-1467

Power : 10w
Size : 600x120mm

Light Source : Edison
Colour Temp : 3K
Feature : Motion sensor

12500.00




LF-LL-1460

Power : 2x6w
Size : 110x250x53.5mm

Light Source : Cree
Colour Temp : 3K

5900.00




LF-LL-1461

Power : 8w
Size : 205x205x62mm

Light Source : Cree
Colour Temp : 3K

6500.00




LF-LL-2979


Power : 12w
Size : 300x50mm

Colour Temp : 3k/4k/6k

6100.00



New



LF-LL-2980

Power : 12w
Size : 240x80x180mm

Colour Temp : 3k

6600.00

New

WALL LIGHTS

LF-LL-2977 / 2105

Power : 18w / 32w
 Size : 540x160x90mm / 1000x160x190mm

Light Source : Osram
 Body Colour : Matt White, Matt Black
 Colour Temp : 3k/4k

18W 10450.00
32W 18500.00

Available Colour Temperature Range

4K
3K

New

LF-LL-848

Power : 1x4.5w
 Size : 120x70x145mm

Light Source : Bridgelux
 Colour Temp : 3K
 Finish : Outer White
 Inside Gold

1x4.5w 5000.00
2x4.5w 8400.00

Available Colour Temperature Range

3K

LF-LL-849

Power : 2x4.5w
 Size : 320x70x145mm

Light Source : Bridgelux
 Colour Temp : 3K
 Finish : Outer White
 Inside White

7750.00

Available Colour Temperature Range

3K

WALL LIGHTS




New

Available Colour Temperature Range

LF-LL-3050

Power : 12w/18w
Light Source : Cree

Body Colour : Coffee
Colour Temp : 3K

Size : 290x80x40mm 4600.00

Size : 500x80x40mm 6250.00



New

Available Colour Temperature Range

LF-LL-3051

Power : 12w
Size : Ø180mm / 35mm(projection)

Body Colour : AB+Black
Light Source : Cree
Colour Temp : 3K

7600.00



Spl Offer

Available Colour Temperature Range

LF-LL-222

Power : 4x1w
Colour Temp : 3K

Light Source : Cree
Finish : Chrome

1300.00





Available Colour Temperature Range

LF-LL-742

Power : 8w
Size : 100x80x100mm

Body Colour : Black, Gold, White
Light Source : Cree,Osram
Colour Temp : 3K

Black Gold 3200.00

White 2200.00




Spl Offer

Available Colour Temperature Range

LF-LL-739

Power : 6w
Colour Temp : 3K

Light Source : Cree
Finish : Champagne Gold

2300.00



Spl Offer

Available Colour Temperature Range

LF-LL-741

Power : 2-8x0.5w
Colour Temp : 3K

Light Source : Cree
Finish : White+Chrome

2800.00



Spl Offer

Available Colour Temperature Range

LF-LL-387

Power : 2x6x1w
Colour Temp : 3K

Light Source : Cree
Finish : White

2050.00

WALL LIGHTS



Spl Offer


Available Colour Temperature Range

LF-LL-395

Power : 2x12x0.5w
Colour Temp : 3K

Light Source : Cree
Finish : White

1800.00



Spl Offer

Available Colour Temperature Range

LF-LL-489

Power : 12w
Colour Temp : 3K

Light Source : Cree
Finish : White

2600.00



Spl Offer

Available Colour Temperature Range

LF-LL-837

Power : 2x2-6x0.5w
Colour Temp : 3K

Light Source : Cree
Finish : White

7100.00



Spl Offer

Available Colour Temperature Range

LF-LL-768

Power : 2x3w
Colour Temp : 3K

Light Source : Cree
Finish : Black/Copper/White

3800.00



Spl Offer

Available Colour Temperature Range

LF-LL-843

Power : 6w
Colour Temp : 3K

Light Source : Cree
Finish : Champagne Gold

4650.00



Spl Offer

Available Colour Temperature Range

LF-LL-303

Power : 2x3w
Colour Temp : 3K

Light Source : Cree
Finish : White

2450.00



Spl Offer


Available Colour Temperature Range

LF-LL-520

Power : 4w AC
Colour Temp : 3K

Light Source : Samsung
Finish : Matt White

2100.00



Spl Offer

Available Colour Temperature Range

LF-LL-1347

Power : 4w
Colour Temp : 3K

Light Source : Lumens
Finish : Sand White Up
Black Down

8300.00



Spl Offer

Available Colour Temperature Range

LF-LL-220

Power : 4w
Colour Temp : 3K

Light Source : Cree
Finish : Chrome

1800.00




Available Colour Temperature Range

LF-LL-1855 (Square)

Power : 18w
Size : 564x45x75mm

Body Colour : Chrome, Antique Brass
Light Source : Samsung
Colour Temp : 3K

Chrome	6,000.00
Antique Brass	6,500.00




Available Colour Temperature Range

LF-LL-1856 (Round)

Power : 18w
Cutout : 564x50x75mm

Body Colour : Chrome, Antique Brass
Light Source : Samsung
Colour Temp : 3K

Chrome	5,600.00
Antique Brass	6,000.00





Available Colour Temperature Range

LF-LL-2983

Power : 6w
Size : 140x45x90mm

Body Colour : Chrome Adjustable
Colour Temp : 3K
Light Source : Cree / Osram

LF-LL-2984

12w
280x45x90mm

LF-LL-2985

18w
450x45x90mm

New

6W	3300.00
12W	5600.00
18W	7600.00





Available Colour Temperature Range

LF-LL-1858

Power : 5w
Size : 150x50x145mm

Body Colour : Coffee
Colour Temp : 3K
Light Source : Cree

LF-LL-1861

10w
320x50x145mm

LF-LL-1859

15w
460x50x145mm

5W	3300.00
10W	6400.00
15W	8400.00

MIRRORLIGHTS



LF-LL-1281

Power : 5w
Size : 120x65x95mm



LF-LL-1283

15w
380x65x95mm



LF-LL-1282

10w
250x65x95mm

Body Colour : Chrome/Wooden
Colour Temp : 3K
Light Source : Osram



LF-LL-1284

Power : 20w
Size : 510x65x95mm

	Chrome	Wooden
5W	3450.00	4300.00
10W	6250.00	7300.00
15W	8750.00	9900.00
20W	10500.00	12000.00

Available
Colour Temperature
Range

3K

New

Available
Colour Temperature
Range

LF-LL-3052

Power : 16/20w
Size : 600x35x85mm
730x35x85mm

Body Colour : Chrome / AB
Colour Temp : 3K/4K/6K
Light Source : Cree

	Chrome	AB
16W	8500.00	8650.00
20W	9850.00	9950.00




New

Available Colour Temperature Range

LF-LL-3053

Power : 12w
Size : 220x100x70mm

Body Colour : Antique Brass
Light Source : Cree
Colour Temp : 3K/4k/6k

8100.00



New

Available Colour Temperature Range

LF-LL-3054

Power : 20w
Size : 550x120x45mm

Body Colour : Chrome
Light Source : Cree
Colour Temp : 3K/4K

10250.00



Spl Offer

Available Colour Temperature Range

LF-LL-738

Power : 30x0.1w
Type : Adjustable

Body Colour : Chrome
Light Source : Cree
Colour Temp : 3K

4500.00

PICTURE LIGHTS



New


Available Colour Temperature Range

LF-LL-1298

Power : 22w
Size : 550x50x172mm

Body Colour : Chrome
Colour Temp : 3K
Light Source : Osram

10250.00



New

Available Colour Temperature Range

LF-LL-1297

Power : 12w
Size : 473x55mm

Body Colour : Chrome, SS, AB
Colour Temp : 3K
Light Source : Osram

5600.00



New

Available Colour Temperature Range

LF-LL-3055	LF-LL-3056	LF-LL-3057
Power : 8w	12w	18w
Size : 360x120x200mm	450x120x200mm	700x120x200mm
Body Colour : Satin Nickel, Antique Brass		
Colour Temp : 3K		
Light Source : Osram		
		8w 4500.00
		12w 5700.00
		18w 7200.00



Available Colour Temperature Range

LF-LL-256

Power : 6w
Size : 150x50x145mm

Body Colour : White
Colour Temp : 3K
Light Source : Samsung

4250.00

SIDE READING LIGHTS



Available Colour Temperature Range


LF-LL-1857

Power : 3w
Size : 140x32mm

Body Colour : Antique Copper
Antique Gold - Black

Light Source : Cree
Colour Temp : 3K

5100.00



Available Colour Temperature Range

LF-LL-1860

Power : 3w
Size : 60x60x430mm

Body Colour : Antique Brass

Light Source : Cree
Colour Temp : 3K

3450.00



Spl Offer

Available Colour Temperature Range


LF-LL-630

Power : 3w

Body Colour : White

Light Source : Cree
Colour Temp : 4K

3500.00



New

Available Colour Temperature Range

LF-LL-2990

Power : 10w
Size : 105x32x108mm

Body Colour : Antique Brass-Black

Colour Temp : 3K/4K
Light Source : Osram

5250.00



Spl Offer

Available Colour Temperature Range

LF-LL-1208

Power : 1x3w

Body Colour : Champagne Gold

Colour Temp : 3K
Light Source : Osram

3750.00

COMMERCIAL PENDANT LIGHTS



Available Colour Temperature Range

LF-LL-734

Power : 7w
Size : 120x1370mm

Body Colour : White

Light Source : Lumileds
Colour Temp : 3K

9000.00



Available Colour Temperature Range

LF-LL-892

Power : 3x4.5w
Size : 300x1200mm

Body Colour : White

Light Source : Cree
Colour Temp : 3K

13500.00



Available Colour Temperature Range

LF-LL-895

Power : 4.5w
Size : 145x1200mm

Body Colour : White

Light Source : Cree
Colour Temp : 3K

5250.00





Available Colour Temperature Range

LF-LL-891

Power : 4.5w
Size : 125x110x1200mm

Body Colour : Black
Light Source : Cree
Colour Temp : 3K

6600.00



Available Colour Temperature Range

LF-LL-897

Power : 3-8x0.5w
Size : 345x1200mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K

11750.00



Available Colour Temperature Range

LF-LL-1463

Power : 2x18w
Size : 914x80x1200mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K

10250.00




Available Colour Temperature Range

LF-LL-722

Power : 207w
Size : 1230x380mm

Body Colour : White
Light Source : Epistar
Colour Temp : 3K

69750.00



Spl Offer


Available Colour Temperature Range

LF-LL-720

Power : 56.6w
Size : 545mm

Body Colour : Matt Black
Light Source : Cree
Colour Temp : 3K

18000.00



Spl Offer

Available Colour Temperature Range

LF-LL-721

Power : 25.2w
Size : 309mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K

6600.00



Spl Offer


Available Colour Temperature Range

LF-LL-632

Power : 7.5w

Body Colour : White
Light Source : Cree
Colour Temp : 3K

4000.00



Spl Offer


Available Colour Temperature Range

LF-LL-129

Power : 8x1w

Body Colour : Chrome
Light Source : Cree
Colour Temp : 3K

2400.00



Spl Offer

Available Colour Temperature Range

LF-LL-1212/1213

Power : 5w/7w
Size : 200mm/300mm

Body Colour : White
Light Source : Cree
Colour Temp : 3K

5w 4200.00
7w 5500.00

COMMERCIAL PENDANT LIGHTS



Spl Offer

Available Colour Temperature Range

LF-LL-471

Power : 16.5x6w

Body Colour : Silver
Light Source : Cree
Colour Temp : 3K

33500.00



Spl Offer


Available Colour Temperature Range

LF-LL-440

Power : 35w

Body Colour : Matt White
Light Source : Cree
Colour Temp : 4K

13800.00



Spl Offer

Available Colour Temperature Range

LF-LL-896

Power : 4-8x0.5w

Body Colour : Matt White and
Inside Gold
Light Source : Cree
Colour Temp : 3K

8000.00



Available Colour Temperature Range

LF-LL-1395

Power : 4.8w/mtr
Width : 8mm

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-60LED
Colour Temp : 3K/4K/6K

190.00



Available Colour Temperature Range

LF-LL-1396

Power : 6.5w/mtr
Width : 8mm

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-120LED
Colour Temp : 3K/4K/6K

260.00



Available Colour Temperature Range

LF-LL-1397

Power : 6.5w/mtr
Width : 5mm

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-120LED
Colour Temp : 3K/4K/6K

285.00



Available Colour Temperature Range

LF-LL-1399

Power : 10w/mtr
Width : 10mm

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-180LED
Colour Temp : 3K/4K/6K

435.00




Available Colour Temperature Range

LF-LL-1400

Power : 19.6w/mtr
Width : 10mm

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-240LED
Colour Temp : 3K/4K/6K

480.00



NEON FLEX

Available Colour Temperature Range

LF-LL-1451

Power : 6.5w/mtr
Width : 6mm

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-120LED
Colour Temp : 3K/6K

500.00

LED STRIPS





LF-LL-1906 / 1907

Power : 6.5w per mtr/10w per mtr
Width : 8mm

Beam Angle : 120°
Light Source : Sanan Chip, Copper base
Type : 2835-120 / 180 LED Tunable Dimmable

Tunable Dimmable : 3K-4K-6K

6.5w **360.00**
10w **415.00**




COB Strip

LF-LL-2900 24V

Power : 6.5w/mtr

Beam Angle : 120°
Light Source : Sanan Chip
Copper base
Type : 2835-120LED
Colour Temp : 3K/4K/6K

600.00



12V CONSTANT VOLTAGE DRIVERS



LF-LL-1452

Power : 12v 30w
Type : 2 AMPS

IP Rating : IP 20

1200.00



LF-LL-1403

Power : 12v 60w
Type : 5 AMPS

IP Rating : IP 20

1400.00



LF-LL-1404

Power : 12v 100w
Type : 8.3 AMPS

IP Rating : IP 20

1950.00



LF-LL-1405

Power : 12v 150w
Type : 12.5 AMPS

IP Rating : IP 20

2550.00



LF-LL-1406

Power : 12v 200w
Type : 16.5 AMPS

IP Rating : IP 20

2850.00



10/20 Amp CCT Strip Controller

Size : 100x39x25mm
Voltage : 12/24V

10Amp 1850.00

20Amp 2300.00

DECORATIVE LIGHTS



New

LF-LL-3059

Available Colour Temperature Range: 3K, 4K, 6K

Power : 70w/90w
 Mounting : Suspended Hanging
 Colour Temp : 3K/4k/6k
 Housing : Black/ White/Gold Silver
 Material : Aluminium Extrusion PC cover

Size : **300x600mm 25000.00**
300x900mm 35800.00




New

LF-LL-3060

Available Colour Temperature Range: 3K, 4K, 6K

Power : 30w/40w
 Size : 450mm/600mm
 Mounting : Suspended Hanging
 Housing : Aluminium Extrusion & PC Cover
 Colour Temp : 3K/4k/6k

450mm 17000.00
600mm 25500.00





New

LF-LL-3061

Available Colour Temperature Range: 3K, 4K, 6K

Power : 240w
 Size : 300x300x1800mm
 Mounting : Suspended/Floor
 Housing : Aluminium Extrusion & PC Cover
 Colour Temp : 3K/4k/6k

83000.00



LF-LL-3062 / 3062A

Power : 50w/80w Colour : White/Black
 Size : 600x600mm / 750x750mm Beam Angle : 120°
 Mounting : Ceiling
 Housing : Aluminium Body
 Colour Temp : 3K/4k/6k
 Light Source : Rigid PCB

50w 18000.00
80w 22500.00




LF-LL-3058

Power : 350w
 Cutout : Ø300(bottom ring)+600+750+450
 +600+600+300+600
 +750+450+450mm(top ring)
 Mounting : Suspended-11step
 Colour Temp : 3K/4k/6k

126350.00

New



LF-LL-3063

Power : 60w
 Size : 750x300mm
 Mounting : Ceiling
 Housing : Aluminium Acrylic Lens
 Colour Temp : 3K/4k/6k
 Light Source : Rigid PCB

37500.00

LF-LL-3064

Power : 100w
 Size : L600xB100xH330mmx2
 Mounting : Ceiling Hanging
 Housing : Aluminium Acrylic Lens
 Colour Temp : 3K/4k/6k

32000.00

LF-LL-3064

Power : 50w
 Size : L900xH330mm
 Mounting : Ceiling Hanging
 Housing : Aluminium Acrylic Lens
 Colour Temp : 3K/4k/6k

15500.00

DECORATIVE LIGHTS



LF-DD-0643

Oxide-Concrete

Size : 600x120x120mm

20,150.00




LF-DD-0161 Feather Cement wall with Rupture Shade

Concrete

Size : 460x460x360mm

17,500.00




LF-DD-0538 Floor Cork Tree

Cork

Size : 240x410x1570mm

90,150.00




LF-DD-1137 Faux Cement Banana Weave

Fiber Fables

Size : 235x235x470mm

18,500.00



LF-DD-1569 Clover Dahlia

Banana Paper

Size : 900x600mm

1,42,500.00

New



LF-DD-0469 Feather Cement
Concrete
Size : 300x220mm **8,800.00**



LF-DD-1332 Hand Crafted Banana Paper Pendant
Banana Paper
Size (S) : 340x340x500mm **29,000.00**

New

*Available in Small, Medium & large Sizes



LF-DD-0540 Wall Cork Wrap Light
Cork
Size : 260x160x260mm **7,200.00**



LF-DD-0524 Pigment Feather Cement
Oxide-Concrete
Size : 300x300x270mm **7,600.00**



LF-DD-1016 Faux Cement Mesh with Water Hyacinth
Fiber Fables
Size : 460x460x350mm **23,500.00**

DECORATIVE LIGHTS



LF-DD-0265 Feather Cement & Pine Wood
Concrete
Size : 90x80x225mm **10,850.00**




LF-DD-0999 Faux Cement with Banana Fibre Rope
Fiber Fables
Size : 460x460x350mm **22,500.00**



LF-DD-1568 Handcrafted Banana Paper Floor Lamp with Brass Stand
Banana Paper
Size : 500x500x1850mm **1,19,200.00**



LF-DD-0718
Oxide-Concrete
Size : 460x460x330mm **12,350.00**



LF-DD-0542 Cork Weaved Drum Pendant
Cork
Size : 400x400x210mm **19,350.00**



OUTDOOR
LIGHTS

BOLLARDS



LF-LL-595


Power : 10w

Body Colour : Graphite Grey
Light Source : Osram
IP Rating : IP 54

300mm **5,150.00**

500mm **5,850.00**

800mm **7,050.00**



LF-LL-277


Power : 10w
Size : 200mm

Body Colour : Graphite Grey
Light Source : Bridgelux
IP Rating : IP 54

200mm **4,200.00**

650mm **7,150.00**

800mm **7,950.00**



LF-LL-278

10w
650mm / 800mm




LF-LL-1464

Power : 8w

Body Colour : Graphite Grey
Light Source : Edison
IP Rating : IP 65
Size (H) : 400mm

12,800.00




LF-LL-467

Power : 6w

Body Colour : Graphite Grey
Light Source : Osram
IP Rating : IP 54
Size (H) : 500mm

5,000.00

800mm **5,900.00**




LF-LL-604

Power : 9w

Body Colour : Graphite Grey
Light Source : Cree
IP Rating : IP 54
Size (H) : 500mm

10,650.00




LF-LL-1535

Power : 17w
Size : 500mm

Body Colour : Graphite Grey
Light Source : Osram
IP Rating : IP 54

500mm **9,150.00**



LF-LL-1535A

10w
300mm/500mm

300mm **4,850.00**

500mm **5,750.00**




LF-LL-593

Power : 7w
Size : 500mm

Body Colour : Graphite Grey
Light Source : Osram
IP Rating : IP 54

500mm **4,000.00**

800mm **4,500.00**



LF-LL-594

7w
800mm






Available Colour Temperature Range

LF-LL-518


Power : 7w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size (H) : 500mm

4,100.00

800mm **5,000.00**



Spl Offer

Available Colour Temperature Range

LF-LL-546/592


Power : 6w

Body Colour : Graphite Grey
Light Source : Cree

IP Rating : IP 54
Size (H) : 500mm

1,600.00

800mm **1,850.00**



Spl Offer

Available Colour Temperature Range


LF-LL-253

Power : 3x3w

Body Colour : Graphite Grey
Light Source : Cree

IP Rating : IP 54
Size (H) : 580mm

3,300.00




Available Colour Temperature Range


LF-LL-1521

Power : 12.2 w x 2
Light Source : SEOUL
Body Colour : Graphite Gray
IP Rating : IP 54
Size (H) : 750mm

13,200.00

Modern and Versatile Bollard where the 2 light heads can be rotated over 350° resulting in Up Down or Side light effects

BOLLARDS



Available Colour Temperature Range

LF-LL-1534

Power : 14w

Body Colour : Graphite Grey
Light Source : Lexstar

IP Rating : IP 54
Size (H) : 650mm

7,700.00



Available Colour Temperature Range

LF-LL-918/919


Power : 9w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size (H) : 500mm

5,000.00

800mm **5,450.00**



Available Colour Temperature Range

LF-LL-461


Power : 6w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size (H) : 500mm

5,050.00

800mm **5,950.00**



Available Colour Temperature Range


LF-LL-1385

Power : 10w & 5w side strip

Body Colour : Dark Grey
Light Source : Osram

IP Rating : IP 54
Size (H) : 600mm

6,450.00



New

Bluetooth Connectivity

Available Colour Temperature Range


LF-LL-3065

Power : 19w

Body Colour : Dark Grey
Light Source : Seoul

IP Rating : IP 54
Size (H) : 740mm

8,950.00



New

Available Colour Temperature Range


LF-LL-3066

Power : 5w

Body Colour : Dark Grey
Light Source : Teen

IP Rating : IP 65
Size (H) : 600mm

12,600.00



New

Available Colour Temperature Range


LF-LL-3067

Power : 17.8w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size (H) : 715mm

12,850.00



New

Available Colour Temperature Range

LF-LL-3068

Power : 12w

Body Colour : Dark Grey
Light Source : Bridgelux

IP Rating : IP 54
Size (H) : 300mm

5,550.00

500mm **6,800.00**

800mm **8,550.00**



New

Available Colour Temperature Range

LF-LL-514

Power : 12w

Body Colour : Dark Grey
Light Source : Cree

IP Rating : IP 54
Size (H) : 700mm
Beam Angle : 150°

8,700.00



LF-LL-3070

Power : 7w

Body Colour : Dark Grey
Light Source : Bridgelux

IP Rating : IP 54
Size (H) : 600mm

900mm

7,800.00
10,400.00

New

Available Colour Temperature Range

LF-LL-3071

Power : 20w

Body Colour : Dark Grey
Light Source : Osram

IP Rating : IP 54
Size (H) : 300mm

600mm

6,700.00
8,100.00

New

Available Colour Temperature Range

LF-LL-3097

Power : 10w

Body Colour : Dark Grey
Light Source : Edison

IP Rating : IP 65
Size (H) : 600mm

Ø140x20mm
800mm

12,000.00
13,000.00

New

Available Colour Temperature Range

LF-O-365/366/369

Power : 13w

Body Colour : Graphite Grey
Light Source : E-27 CFL/LED

IP Rating : IP 54
Size (H) : 300mm

500mm
800mm

2,750.00
4,000.00
5,800.00

New

Available Colour Temperature Range

LF-LL-3355

Power : 7w

Body Colour : Dark Grey
Light Source : Cree

IP Rating : IP 65
Size : 120x60xH600mm

11,500.00

New

Available Colour Temperature Range

LF-O-385/386/387

Power : 23w

Body Colour : Graphite Grey
Light Source : E-27 CFL/LED

IP Rating : IP 54
Size (H) : 300mm

500mm
800mm

2,550.00
3,850.00
5,600.00

New

Available Colour Temperature Range

LF-O-367/368/370

Power : 13w

Body Colour : Graphite Grey
Light Source : E-27 CFL/LED

IP Rating : IP 54
Size (H) : 300mm


500mm
800mm

2,425.00
3,150.00
4,350.00

New

Available Colour Temperature Range

BOLLARDS




LF-LL-1555

Power : 15w

Body Colour : Dark Grey
 Light Source : E-27 CFL/LED
 IP Rating : IP 54
 Size (H) : 500mm

4,100.00



LF-0-364


Power : 13w

Body Colour : Graphite Grey
 Light Source : E-27 CFL/LED
 IP Rating : IP 54
 Size (H) : 650mm

4,750.00



LASER CUT MS BOLLARD



LF-LL-1987

CUSTOMIZABLE WITH MANY DESIGNS


Power : 20w

Body Colour : Graphite Grey
 Light Source : Osram
 IP Rating : IP 65
 Size (H) : 600mm

16,200.00



New



SLANT BOLLARD LF-LL-3069


Power : 12w

Body Colour : Dark Grey
 Light Source : Bridgelux
 IP Rating : IP 54
 Size (H) : 600mm

9,250.00

900mm

11,200.00





Available
Colour Temperature
Range

LF-LL-656

Power : 10w

Body Colour : Matt White
Light Source : Samsung
IP Rating : IP 54
Size (H) : 150x150x95mm

13,250.00



LF-O-923

Power : 13w
Size : 250x250x275mm

Body Colour : Graphite Grey
Light Source : E27- CFL/LED
IP Rating : IP 65

8,200.00

LF-O-924

Power : 13w
Size : 150x150x160mm

Body Colour : Graphite Grey
Light Source : E27- CFL/LED
IP Rating : IP 65

4,050.00



LF-O-339

Power : 13w
Size (H) : 150mm

Body Colour : Graphite Grey
Light Source : E-27 CFL/LED
IP Rating : IP 54

4,150.00

LF-O-338

Power : 13w
Size (H) : 220mm

5,450.00



LF-LL-1985

Power : 30w

Body Colour : Dark Grey
Diffuser : Milky
Size : 225x225x325mm
IP Rating : IP 65

7,550.00



LF-LL-1986

Power : 30w

Body Colour : Dark Grey
Diffuser : Clear
Size : 225x225x325mm
IP Rating : IP 65

7,950.00



LF-LL-1990

Power : 30w

Body Colour : Dark Grey
Diffuser : Prismatic
Size : 245x245x325mm
IP Rating : IP 65

7,850.00



LF-O-363

Power : 13w

Body Colour : Graphite Grey
Light Source : E-27 CFL/LED
Size : 200mm
IP Rating : IP 54

2,800.00

GATE LIGHTS



New

Available Colour Temperature Range

LF-O-388

Power : 15w

Material : Rot Iron
 Body Colour : Dark Grey
 Light Source : B-22 CFL/LED
 IP Rating : IP 54
 Size : 175x175x250mm

8,000.00



New

Available Colour Temperature Range

LF-O-389

Power : 20w

Material : Rot Iron
 Body Colour : Dark Grey
 Light Source : B-22 CFL/LED
 IP Rating : IP 54
 Size : 215x215x290mm

9,700.00



New

Available Colour Temperature Range

LF-O-927

Power : 20w

Body Colour : Dark Grey
 Light Source : E-27 CFL/LED
 IP Rating : IP 54
 Size : Ø225xH220mm

7,600.00



New

Available Colour Temperature Range

LF-LL-3081

Power : 20w 30w
 Size : 180x180x230mm 270x270x230mm

Body Colour : Dark Grey
 Diffuser : Milky
 Light Source : Osram
 IP Rating : IP 54
 Driver : Fulham

20w 5,700.00

30w 6,900.00



New

Available Colour Temperature Range

LF-O-928

Power : 20w

Body Colour : Dark Grey
 Light Source : E-27 CFL/LED
 IP Rating : IP 54
 Size : 225x225xH250mm

8,150.00



New

Available Colour Temperature Range

LF-LL-3082

Power : 30w

Body Colour : Dark Grey
 Diffuser : Milky
 IP Rating : IP 54
 Size : 200x200x340mm

5,950.00



New

Available Colour Temperature Range

LF-O-926

Power : 13w

Body Colour : Dark Grey
 Light Source : E-27 CFL/LED
 IP Rating : IP 54
 Size : 150x150xH230mm

5,150.00



HERITAGE GATE LIGHTS



New

Available
Colour Temperature
Range



LF-O-925

Power : 13w

Material : MS Laser Cut
Body Colour : Matt Black
Light Source : B-22 CFL/LED
IP Rating : IP 54
Size : 240x300mm

4,200.00



New

Available
Colour Temperature
Range



LF-LL-3080

Power : 20w


Body Colour : Dark Grey
Light Source : E-27 CFL/LED
IP Rating : IP 54
Size : 120x120xH426mm

6,100.00



New

Available
Colour Temperature
Range



LF-O-934

Power : 20w

Material : Aluminum Die Cast
Body Colour : Black/ Antique Gold
Light Source : B-22 CFL/LED
IP Rating : IP 54
Size : 190xH430mmmm


4,450.00

HERITAGE OUTDOOR HANGING



New

Available
Colour Temperature
Range




LF-O-929

Power : 20w

Material : Aluminum Die Cast
Body Colour : Antique Green
Light Source : E-27 CFL/LED
Size : 175x175xH480mm
IP Rating : IP 54

3,400.00



New

Available
Colour Temperature
Range



LF-O-935

Power : 15w

Material : Aluminum
Body Colour : Dark Grey
Light Source : E-27 CFL/LED
IP Rating : IP 54
Size : 190x190xH470mm

3,250.00

WALL LIGHTS



New

Available Colour Temperature Range

LF-LL-3072

Power : 17.8w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 97x225x155mm

8,250.00



Turnable

Available Colour Temperature Range

LF-LL-1520

Power : 23w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 100x95x213mm

8,350.00



New

Available Colour Temperature Range

Turnable

PIR Sensor

LF-LL-3073

Power : 14w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 93x146x308mm

8,800.00



New

Available Colour Temperature Range

LF-LL-3074

Power : 13.5w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 200x160x50mm

5,800.00



Available Colour Temperature Range

LF-LL-1522

Power : 16.1w

Body Colour : Graphite Grey
Light Source : Lexstar

IP Rating : IP 54
Size : 245x78x120mm

8,000.00



Available Colour Temperature Range

LF-LL-1531

Power : 10.2w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 105x70x200mm

4,100.00



Available Colour Temperature Range

LF-LL-1533

Power : 14w

Body Colour : Graphite Grey
Light Source : Lexstar

IP Rating : IP 54
Size : 141x80x292mm

5,950.00



Available Colour Temperature Range

LF-LL-1532

Power : 17w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 124x120x200mm

6,350.00



Available Colour Temperature Range

LF-LL-1843

Power : 13w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 161x141mm

6,150.00

WALL LIGHTS




Available Colour Temperature Range

LF-LL-1845

Power : 13w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 140x140x148mm

5,275.00

New



Available Colour Temperature Range

LF-LL-3075

Power : 15.2w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 220x110x71mm

5,200.00



Available Colour Temperature Range

LF-LL-1530

Power : 15w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size : 110x110x100mm

3,400.00




New

Available Colour Temperature Range


LF-LL-3076 **LF-LL-3077**

Power : 19.1w 34w
Size : 150x150x80mm 350x100x80mm

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54

4,300.00
7,650.00



Available Colour Temperature Range

LF-LL-1559

Power : 10w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size : 185x170x122mm

4,300.00



New

Available Colour Temperature Range


LF-LL-911

Power : 12w

Body Colour : Graphite Grey
Light Source : Lexstar

IP Rating : IP 54
Size : 160x100x86mm

3,700.00



New

Bluetooth Connectivity

Available Colour Temperature Range


LF-LL-3078

Power : 19w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size : 110x83x311mm

6,850.00



Available Colour Temperature Range

LF-LL-597

Power : 6w

Body Colour : Graphite, White
Light Source : Osram

IP Rating : IP 54
Size : 126x132mm

3,750.00

WALL LIGHTS



LF-LL-3083

Power : 13w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size : 132x105x222mm

4,550.00

Available Colour Temperature Range

3K



LF-LL-1553

Power : 13w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size : 226x96x65mm

4,600.00

Available Colour Temperature Range

3K



LF-LL-1557

Power : 13w

Body Colour : Graphite Grey
Light Source : Osram

IP Rating : IP 54
Size : 226x96x65mm

4,400.00

Available Colour Temperature Range

3K



LF-LL-1466

Power : 17w

Body Colour : Matt White
Light Source : Edison

IP Rating : IP 54
Size : 900x120x16mm

14,500.00

Available Colour Temperature Range

3K



LF-LL-1459

Power : 8w


Body Colour : Graphite Grey
Light Source : Cree

IP Rating : IP 54
Size : 275x85x83mm

4,950.00

Available Colour Temperature Range

3K



LF-LL-912

Power : 10w

Body Colour : Graphite Grey
Light Source : Epistar

IP Rating : IP 54
Size : 1120x45mm

2,950.00

Available Colour Temperature Range

3K



LF-LL-1458

Power : 9w

Body Colour : Graphite Grey
Light Source : Cree

IP Rating : IP 54
Size : 235x135x45mm

3,600.00

Available Colour Temperature Range

3K

WALL LIGHTS




Available Colour Temperature Range

LF-LL-1556

Power : 15w

Body Colour : Graphite Grey
Light Source : E-27 CFL/LED
IP Rating : IP 44
Size : 141x90x180mm

2,850.00



Spl Offer


Available Colour Temperature Range

LF-LL-469

Power : 1x7w

Body Colour : Graphite Grey
Light Source : Cree
IP Rating : IP 54

2,600.00



Spl Offer


Available Colour Temperature Range

LF-LL-915

Power : 9w

Body Colour : Dark Grey
Light Source : Epistar
IP Rating : IP 54

2,700.00



Spl Offer

Available Colour Temperature Range

LF-LL-922

Power : 12w

Body Colour : Graphite Grey
Light Source : Osram
IP Rating : IP 54

2,350.00



Spl Offer


Available Colour Temperature Range

LF-LL-599

Power : 9x0.5w

Body Colour : Graphite Grey
Light Source : Seoul
IP Rating : IP 54

1,125.00



Spl Offer


Available Colour Temperature Range

LF-LL-238

Power : 8x3w

Body Colour : Graphite Grey
Light Source : Cree
IP Rating : IP 54
Size : 1120x45mm

5,350.00



Spl Offer


Available Colour Temperature Range

LF-O-371

Power : 13w

Body Colour : Graphite Grey
Light Source : E-27 CFL\LED
IP Rating : IP 44

1,700.00



Spl Offer


Available Colour Temperature Range

LF-LL-596

Power : 6w

Body Colour : Graphite Grey
Light Source : Epistar
IP Rating : IP 54

1,600.00



Spl Offer

Available Colour Temperature Range

LF-LL-754

Power : 6w

Body Colour : Graphite Grey
Light Source : Cree
IP Rating : IP 54

3,250.00

WALL LIGHTS



Spl Offer


Available Colour Temperature Range

LF-LL-598

Power : 4x1ww

Body Colour : Graphite Grey
Light Source : Seoul
IP Rating : IP 44

2,100.00



Spl Offer


Available Colour Temperature Range

LF-LL-334

Power : 6x1w

Body Colour : Graphite Grey
Light Source : Cree
IP Rating : IP 54

3,050.00



Spl Offer

Available Colour Temperature Range

LF-LL-519

Power : 6w

Body Colour : Dark Grey
Light Source : Osram
IP Rating : IP 54

1,250.00



Spl Offer


Available Colour Temperature Range

LF-LL-920

Power : 9w

Body Colour : Dark Grey
Light Source : Osram
IP Rating : IP 54

2,900.00



Spl Offer

Available Colour Temperature Range

LF-LL-921

Power : 12w

Body Colour : Dark Grey
Light Source : Epistar
IP Rating : IP 54

2,250.00



Spl Offer


Available Colour Temperature Range

LF-O-283

Power : 13w

Body Colour : Rust
Light Source : E-27 CFL/LED
IP Rating : IP 54

1,300.00



Spl Offer

Available Colour Temperature Range

LF-LL-608

Power : 12w (24x0.5w)

Body Colour : Graphite Grey
Light Source : Seoul
IP Rating : IP 54

3,650.00

HERITAGE WALL LIGHTS




Available Colour Temperature Range

LF-LL-607

Power : 6w

Body Colour : Graphite Grey
Light Source : Seoul

IP Rating : IP 54
Size : 253x200x326mm

8,350.00



New



Available Colour Temperature Range

LF-LL-3079


Power : 40w

Body Colour : Graphite Grey
Light Source : E-27

IP Rating : IP 44
Size : 122x187x402mm

5,600.00

New



Available Colour Temperature Range


LF-O-932

Power : 20w

Material : Aluminum Die Cast
Body Colour : Dark Brown
Light Source : E-27 Holder
Size : 260 x 420mm

9,350.00

New




Available Colour Temperature Range

LF-O-930

Power : Up to 40w

Material : Spun Aluminum
Body Colour : Crinkle Black
Light Source : E-27 CFL/LED
Size : 400x560xH610mm

10,650.00



Available Colour Temperature Range

LF-O-933

Power : 15w

Material : Aluminum Die Cast
Light Source : B-22 CFL/LED
Size : 350x480mm

Body Colour : Black **6,600.00**
Antique Gold **6,800.00**

New



Downward Fixture

LF-O-975



Upward Fixture

LF-O-931

Power : 15w

Body Colour : Crinkle Black/ Antique Gold
Light Source : B-22 CFL/LED
IP Rating : IP 54
Size : 260xH430mm

LF-O-931 5,150.00
LF-O-975 7,250.00

Available Colour Temperature Range

COLUMN WALL LIGHTS / DIRECTIONAL




Available Colour Temperature Range

LF-LL-1548

Power : 2x8w

Light Source : Cree
Body Colour : Dark Grey
IP Rating : IP 54
Size : 65x65x120mm
Beam Angle : 24°

10,500.00



Available Colour Temperature Range

LF-LL-1549

Power : 8w

Light Source : Cree
Body Colour : Dark Grey
IP Rating : IP 54
Size : 65x65x60mm
Beam Angle : 24°

6,300.00



Available Colour Temperature Range

LF-LL-1554

Power : 11w

Light Source : Osram
Body Colour : Dark Grey
IP Rating : IP 54
Size : 260x80x40mm

3,650.00




Available Colour Temperature Range

LF-LL-727 4Way

Power : 12w

Light Source : Cree
Body Colour : Matt White
IP Rating : IP 54
Size : 88x100mm
Beam Angle : 71°

8,850.00



New


Available Colour Temperature Range

LF-LL-083

Power : 2x6w Updown

Light Source : Philips
Body Colour : Graphite Grey
IP Rating : IP 65
Size : Ø40x70x240mm
Beam Angle : 24°

4,450.00



New


Available Colour Temperature Range

LF-LL-084

Power : 6w Up

Light Source : Philips
Body Colour : Graphite Grey
IP Rating : IP 54
Size : Ø40x70x160mm

3,400.00



Available Colour Temperature Range

LF-LL-092

Power : 3w

Light Source : Cree
Body Colour : Graphite Grey
IP Rating : IP 54
Size : 80x66x75mm
Beam Angle : 86°

1,550.00



Available Colour Temperature Range

LF-LL-093

Power : 2x3w 2Way

Light Source : Cree
Body Colour : Graphite Grey
IP Rating : IP 54
Size : 80x60x141mm
Beam Angle : 87°

2,300.00



New

Available Colour Temperature Range

Pencil Beam


LF-LL-1002

Power : 2x3w Up-down

Light Source : Cree-XPE
Body Colour : Graphite Grey
IP Rating : IP 65
Size : 85x88x120mm

6,950.00

COLUMN WALL LIGHTS / DIRECTIONAL




LF-LL-522

Power : 8w

Light Source : Lumens
 Body Colour : Outside white
 Golden inside
 Size : 88x500mm
 IP Rating : IP 54

18,500.00




LF-LL-724

Power : 9w

Light Source : Lumileds
 Body Colour : Dark Grey
 IP Rating : IP 65
 Size : 100x150mm

8,700.00




LF-LL-1526

Power : 14w

Light Source : Seoul
 Body Colour : Dark Grey
 IP Rating : IP 54
 Size : 60x180x210mm

5,950.00




LF-LL-1543

Power : 14w

Light Source : Seoul
 Body Colour : Dark Grey
 IP Rating : IP 54
 Size : 87x66x300mm

6,550.00



LF-LL-605 4Way


Power : 5w

Light Source : Seoul
 Body Colour : Graphite Grey
 IP Rating : IP 54
 Size : 187x187x47mm

8,150.00



Spl Offer



LF-LL-645

Power : 9w
 Size : 160x120x30mm

Light Source : Sharp LED
 Body Colour : Matt White
 IP Rating : IP 54

2,800.00



LF-LL-646


9w
 160x120x30mm

2,750.00

COLUMN WALL LIGHTS / DIRECTIONAL



New



LF-LL-3084


Power : 6w

Light Source : Cree-XPE
 Body Colour : Matt White/ Black
 Size : 120x80x40mm
 IP Rating : IP 65

2,900.00



New




LF-LL-3085


Power : 10w

Light Source : Cree-XPE
 Body Colour : Matt White/ Black
 Size : 170x80x40mm
 IP Rating : IP 65

3,900.00



New



LF-LL-3086

Power : 12w

Light Source : Cree-XPE
 Body Colour : Matt White /Black
 Size : 220x80x40mm
 IP Rating : IP 65

4,900.00




Available Colour Temperature Range

LF-LL-055
with water stop connector

Power : 3w

Light Source : Cree
Beam Angle : 30°
Body Colour : RIM S.S. 316
IP Rating : IP 67
Driver : External
Size : 53mm

6,550.00



Available Colour Temperature Range

LF-LL-1332

Power : 3w

Light Source : Cree
Beam Angle : 25°
Body Colour : RIM S.S. 316
IP Rating : IP 67
Size : 50xH32mm
Driver : External

4,400.00



Spl Offer


Available Colour Temperature Range

LF-O-179A 2way

Power : 6w (2Way)

Light Source : GU 10
Body Colour : Matt Black
IP Rating : IP 54

1,050.00



New

Available Colour Temperature Range

LF-LL-2285

Power : 9w

Light Source : Cree
Body Colour : SS RIM 316L
IP Rating : IP 65
Size : Ø130xH133mm

ADJUSTABLE BEAM ANGLE

12,500.00




Available Colour Temperature Range

LF-LL-1373	LF-LL-1374	LF-LL-1375
Power : 5w	10w	15w
Size : 80xH110mm	95xH135mm	120xH145mm

Light Source : Cree
Beam Angle : 23°
Body Colour : RIM S.S. 316
IP Rating : IP 67
Driver : Internal

5w	7,950.00
10w	10,800.00
15w	12,950.00



Spl Offer

Available Colour Temperature Range

LF-LL-770-2way

Power : 1x7w (2 WAY)

Light Source : Cree
Body Colour : Graphite Grey
IP Rating : IP 67

5,100.00

SHRUB UP



Available Colour Temperature Range

LF-LL-702

Power : 5w
Size : 60x120x102mm

LF-LL-636

10w
76x150x135mm

LF-LL-703

15w
96x178x175mm

Body Colour : Graphite Grey
Light Source : CREE
IP Rating : IP 65
Driver : Internal
Beam Angle : 23°

5w	7,900.00
10w	9,250.00
15w	12,950.00



Available Colour Temperature Range

LF-LL-1465

Power : 6w

Light Source : Lumileds
Body Colour : Dark Grey
IP Rating : IP 65
Size : 59x132mm
Driver : Internal
Beam Angle : 25°

12,950.00



Available Colour Temperature Range

(Base Model)

(With spike)

LF-LL-644

Power : 3w
Size : 66x45mm

LF-LL-640

7w
100x66mm

LF-LL-639

12w
100x66mm

Body Colour : Graphite Grey
Light Source : CREE
IP Rating : IP 65
Driver : Internal
Beam Angle : 23°

	Parco series	
	Spike	Surface
LF-LL-644	1,950.00	2,200.00
LF-LL-640	2,750.00	3,000.00
LF-LL-639	3,450.00	3,700.00



Available Colour Temperature Range


LF-O-255 Without Lamp

Power : 5w

Light Source : GU10
Body Colour : Matt Black
IP Rating : IP 65
Size : 60mm

2,250.00



Spl Offer


Available Colour Temperature Range

LF-LL-648

Power : 6w

Light Source : Citizen
Body Colour : Matt White
IP Rating : IP 54

3,800.00



New


Available Colour Temperature Range

LF-LL-3087

Power : 3w

Light Source : Cree
Body Colour : Matt White/ Black
IP Rating : IP 65
Size : 30x180x44mm
Driver : External

3,200.00




Available Colour Temperature Range

LF-LL-730

Power : 3w

Light Source : Lumileds
Size : 80x25mm
Body Colour : Matt White
IP Rating : IP 54
Driver : Internal

5,050.00



New

Available Colour Temperature Range

LF-LL-1310A

Power : 3w

Light Source : Cree
Body Colour : Matt White/ Black/SS
IP Rating : IP 54
Cutout : 46
Size : 50x70mm

3,850.00



Available Colour Temperature Range

LF-LL-1468

Power : 6w

Light Source : Edison
Size : 180x85mm
Body Colour : White
IP Rating : IP 54
Driver : Internal

8,350.00

STEPLIGHTS SURFACE

LF-LL-769

Power : 3w
Size : 90x38x60mm

Body Colour : Graphite Grey
Light Source : Bridgelux
IP Rating : IP 54

LF-LL-799

Power : 6w
Size : 150x38x70mm

3w **1,500.00**
6w **1,975.00**

LF-LL-1469

Power : 4w

Light Source : Teen
Size : 150x35mm
Body Colour : White
IP Rating : IP 54
Driver : Internal

8,250.00

LF-LL-090

Power : 3x1w

Light Source : Cree
Body Colour : Graphite Grey
IP Rating : IP 44
Size : 160x180x25mm

1,400.00

LF-LL-3088

Power : 11w

Light Source : Cree
Body Colour : Graphite Grey
IP Rating : IP 54
Size : 230x101x32mm
Beam Angle : 111°

3,800.00

LF-LL-3089

Power : 11w

Light Source : Cree
Body Colour : Graphite Grey
IP Rating : IP 54
Size : 230x101x32mm

3,800.00




Spl Offer

Available Colour Temperature Range
6K

LF-LL-1205

Power : 7w

Light Source : Edison
Body Colour : White
Size : $\Phi 85 \times H 54.5 \text{mm}$
IP Rating : IP 54
Tunable : 6K

2,950.00



Spl Offer

Available Colour Temperature Range
6K

LF-LL-635

Power : 18w

Light Source : Edison
Body Colour : White
IP Rating : IP 54

4,250.00



Available Colour Temperature Range
3K

LF-LL-1605


Power : 12w
Size : 80 x H165mm

LF-LL-1606

Power : 20w
Size : 100 x H200mm

Light Source : Bridgelux
Body Colour : White/ Black/ Antique Brass- Black/ Copper- Grey
IP Rating : IP 65

12w **4,600.00**
20w **6,200.00**



LF-LL-523

Power : 12w

Light Source : Edison
Beam Angle : 80°
Size : 110mm
Body Colour : White
IP Rating : IP 54
Driver : Internal

7,000.00



New

Available Colour Temperature Range
3K

LF-LL-3090

Power : 23.5w

Light Source : Edison
Beam Angle : 114°
Size : $\Phi 260 \times 55 \text{mm}$
Body Colour : Dark Grey
IP Rating : IP 54

6,200.00

STREET LIGHTS



Available Colour Temperature Range

6K
4K
3K

LF-LL-1260

Power : 12w

Light Source : Osram
Body Colour : Dark Grey
Size : 250x50x37mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

1,600.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1261

Power : 20w

Light Source : Osram
Body Colour : Dark Grey
Size : 350x100x60mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

1,950.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1262

Power : 24w

Light Source : Osram
Body Colour : Dark Grey
Size : 35x100x60mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

2,200.00




Available Colour Temperature Range

6K
4K
3K

LF-LL-1263

Power : 36w

Light Source : Osram
Body Colour : Dark Grey
Size : 350x145x55mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

3,150.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1264

Power : 42w

Light Source : Osram
Body Colour : Dark Grey
Size : 350x165x60mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

3,600.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1265

Power : 50w

Light Source : Osram
Body Colour : Dark Grey
Size : 350x165x60mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

4,950.00

STREET LIGHTS




Available Colour Temperature Range

6K
4K
3K

LF-LL-1266

Power : 60w

Light Source : Osram
Body Colour : Dark Grey
Size : 415x193x55mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

5,200.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1267

Power : 72w

Light Source : Osram
Body Colour : Dark Grey
Size : 415x193x55mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

6,000.00



Available Colour Temperature Range


6K
4K
3K

LF-LL-1268

Power : 100w

Light Source : Osram
Body Colour : Dark Grey
Size : 505x195x65mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

9,100.00




Available Colour Temperature Range

6K
4K
3K

LF-LL-1269

Power : 150w

Light Source : Osram
Body Colour : Dark Grey
Size : 575x245x75mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

11,250.00



Available Colour Temperature Range

6K
4K
3K

LF-LL-1270

Power : 200w

Light Source : Osram
Body Colour : Dark Grey
Size : 685x305x70mm
IP Rating : IP 54
Colour Temp : 3K/4K/6K

16,150.00

FLOOD LIGHTS



Spl Offer

Available Colour Temperature Range
6K

LF-LL-913

Power : 12w

Light Source : Osram
Body Colour : Dark Grey
IP Rating : IP 65
Beam Angle : 25°
Colour Temp : 6K

3,700.00



Spl Offer


Available Colour Temperature Range
6K

LF-O-272

Power : 85w LED / 250w Metal Halide

Light Source : E-40
Body Colour : Dark Grey
IP Rating : IP 65
W/o Control Gear

1,600.00



10KV Surge Protector

Available Colour Temperature Range
6K

LF-LL-1444

Power : 30w
Size : 183x199x35mm

LF-LL-1445

50w
Size : 235x250x40mm

LF-LL-1446

100w
Size : 285x300x47mm

LF-LL-1447

150w
Size : 333x355x53mm

LF-LL-1448


Power : 200w
Size : 400x448x56mm

Light Source : Epistar
Body Colour : Graphite Grey
IP Rating : IP 66
Colour Temp : 3K/6K

30w	1,900.00
50w	2,350.00
100w	4,450.00
150w	7,500.00
200w	9,850.00

SURFACE

UNDERWATER LIGHTS

Available Colour Temperature Range


LF-LL-131

Power : 3x3w

Light Source : Cree
Body Colour : S.S.316 L
Size : Ø95x95mm
IP Rating : IP 68
Beam Angle : 30°

16,800.00

New



Available Colour Temperature Range

LF-LL-133

Power : 6x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø140x100mm
Beam Angle : 30°

26,250.00

New




Available Colour Temperature Range

LF-LL-135

Power : 12x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø160x100mm
Beam Angle : 30°

53,000.00



Available Colour Temperature Range

LF-LL-103A

Power : 1x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø67x70mm
Beam Angle : 30°

11,500.00

RECESSED




Available Colour Temperature Range

LF-LL-103

Power : 1x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø67.5x103mm
Beam Angle : 30°

10,650.00



Available Colour Temperature Range

LF-LL-056

Power : 3x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø118x125mm
Beam Angle : 30°

17,450.00

New



Available Colour Temperature Range

LF-LL-132

Power : 6x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø160x103mm
Beam Angle : 30°

23,500.00

New



Available Colour Temperature Range


LF-LL-134

Power : 12x3w

Light Source : Cree
Body Colour : S.S.316 L
IP Rating : IP 68
Size : Ø185x101mm
Beam Angle : 30°

33,700.00


POST TOP LANTERNS



LF-LL-1052

Power : 40w 75w 150w
 Size : 350mm 650mm 650mm


Material : Aluminum Die Cast **40w 12,800.00**
 Light Source : Osram
 Body Colour : Dark Grey **75w 30,650.00**
 IP Rating : IP 65
 Driver : Internal **150w 33,000.00**



LF-LL-1055 LF-LL-1386

Power : 40w 60w
 Size : 400mm 600mm


Material : Aluminum Die Cast
 Light Source : Osram
 Body Colour : Dark Grey **40w 21,300.00**
 IP Rating : IP 65
 Driver : Internal **60w 25,000.00**



LF-LL-1995

Power : 12w

Material : Aluminum Die Cast
 Light Source : Osram
 Body Colour : Dark Grey
 Size : 500mm
 IP Rating : IP 65
 Driver : Internal **7,050.00**



LF-LL-1995A

Power : 40w

Material : Aluminum Die Cast
 Light Source : Osram
 Body Colour : Graphite Grey
 Size : 692x770x75mm
 IP Rating : IP 65
 Driver : Fulham **15,200.00**



LF-LL-1976

Power : 30w

Material : Aluminum Die Cast
 Light Source : Osram
 Body Colour : Dark Grey
 Size : 500mm
 IP Rating : IP 65
 Driver : Internal **11,500.00**

POST TOP LANTERNS




Available Colour Temperature Range


6K
4K
3K

LF-LL-1387

Power : 35w

Material : Aluminum Die Cast
Light Source : Osram
Body Colour : Dark Grey
Size : Ø600x800mm
IP Rating : IP 65
Driver : Internal

20,500.00



New

Available Colour Temperature Range

6K
4K
3K

LF-LL-3093 Pole : Ø50mm
10Kv Surge Protector

Power : 40w

Material : Aluminum Die Cast
Light Source : Bridgelux
Body Colour : Graphite Grey
Size : Ø500x500mm
IP Rating : IP 65
Driver : Fulham

21,250.00



New

Available Colour Temperature Range


6K
4K
3K

LF-LL-3091 Pole : Ø50mm
10Kv Surge Protector

Power : 40w

Material : Aluminum Die Cast
Light Source : Bridgelux
Body Colour : Graphite Grey
Size : Ø500x500mm
IP Rating : IP 65
Driver : Fulham

19,850.00



New

Available Colour Temperature Range


6K
4K
3K

LF-LL-3092 Pole : Ø50mm

Power : 30w

Material : Aluminum Die Cast
Light Source : Bridgelux
Body Colour : Graphite Grey
Size : Ø450xH500mm
IP Rating : IP 65
Driver : Fulham

18,500.00

Available Colour Temperature Range

6K
4K
3K

LF-LL-1389

Power : 40w

Material : Aluminum Die Cast
Light Source : Osram
Body Colour : Graphite Grey
Size : 692x770x75mm
IP Rating : IP 65

33,500.00




LED POLES

***ALL POLES PRICES ON REQUEST**

Product name	Bottom Dia	Top Dia	Base Plate 2mtr - 5mtr	Base Plate 6mtr - 8mtr	Foundation set 2mtr - 4.5mtr	Foundation set 5mtr - 8mtr
Eco Square	100mm Square	60mm Square	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Linear Square Pole	100mm Square	100mm Square	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Flat Round Pole	114mm Dia	60mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Slope Round Pole	140mm Dia	60mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Linear Round pole	114mm Dia	114mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Cross cut Round pole	114mm Dia	60mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Street pole eco	90mm Dia	76mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Conical pole Available up to 3 mtr	140mm Dia	76mm Dia	200 x 200 x 10mm		16mm x 300mm	




LF-LL-2376

Power : 1x40w, 2x40w

Light Source : Bridgelux
 Body Colour : Grey/Black
 Material : Rust Proof
 Size : 100x100x600mm
 Driver : Fulham
 Pole Type : Square & Round

Available Colour Temperature Range: 3K, 4K, 6K

16,850.00 ◀ 1x40w 2x40w ▶ 25,500.00




LF-LL-2377

Power : 1x40w, 2x40w

Light Source : Bridgelux
 Body Colour : Grey/Black
 Material : Rust Proof
 Size : 100x500x750mm
 Driver : Fulham
 Pole Type : Square & Round

Available Colour Temperature Range: 3K, 4K, 6K

17,450.00 ◀ 1x40w 2x40w ▶ 26,500.00

LF-LL-2378

Power : 2x40w

Light Source : Bridgelux
 Body Colour : Grey/Black
 Material : Rust Proof
 Size : 60x122x900mm
 Driver : Fulham
 Pole Type : Square & Round

Available Colour Temperature Range: 3K, 4K, 6K

26,500.00




LF-LL-2379

Power : 1x40w, 2x40w

Light Source : Bridgelux
 Body Colour : Grey/Black
 Material : Rust Proof
 Size : 100x50x700mm
 Driver : Fulham
 Pole Type : Ø 76 Round

Available Colour Temperature Range: 3K, 4K, 6K

17,450.00 ◀ 1x40w 2x40w ▶ 34,500.00



LF-LL-2380

Power : 2x40w

Light Source : Bridgelux
 Body Colour : Grey/Black
 Material : Rust Proof
 Size : 100x50x1000mm
 Driver : Fulham
 Pole Type : Square & Round

Available Colour Temperature Range: 3K, 4K, 6K

27,500.00


MODULAR LED POLES

All Models Customizable to 3mtr, 3.6mtr, 4mtr and 4.5mtr

2 way Round, LED
10Kv Surge Protector



New



LF-LL-3094

Power : 40w

Light Source : Bridgelux
Material : Rust Proof
Body Colour : Dark Grey
Length : 3m
IP Rating : IP 65
Size : Ø165mm
Driver : Fulham

29,500.00


OUTDOOR MODULAR LED POLES



Slant / Straight Perforated, LED
10Kv Surge Protector



New



LF-LL-3096

Power : 20w+30w=50w

Light Source : Osram
Material : Rust Proof
Body Colour : Dark Grey
IP Rating : IP 65
Length : 3m, 3.6m, 4m and 4.5m
Size : Ø114mm
Driver : Fulham

44,500.00

4 way Square Cornered, LED 10Kv Surge Protector



New

Available Colour Temperature Range

- 6K
- 4K
- 3K



LF-LL-3095

Power : 40w

Light Source : Bridgelux
 Material : Rust Proof
 Body Colour : Dark Grey
 Length : 3m
 Size : 150x150mm
 IP Rating : IP 65
 Driver : Fulham

30,500.00

Tubular Pole



New

Available Colour Temperature Range

- 6K
- 4K
- 3K



LF-LL-3910

Power : 30w 50w 60w
 PC Cover (H) : 2ft 3ft 4ft

Light Source : Bridgelux
 Material : Aluminum
 Body Colour : Dark Grey
 IP Rating : IP 65
 Size : Ø100x3mt pole + light
 Driver : Fulham

PC Cover 2ft 27,000.00
PC Cover 3ft 29,500.00
PC Cover 4ft 33,500.00

Bamboo Pole



New

Available Colour Temperature Range

- 6K
- 4K
- 3K



LF-LL-3911

Power : 10w+20w+30w

Light Source : Bridgelux
 Material : Aluminum
 Finish : Wooden
 IP Rating : IP 65
 Size : Ø100mm x3mtr pole
 Driver : Fulham

56,250.00

ARCHITECTURAL POLES

*Every Additional 3 Mtr will cost INR 3,200 Extra




LF-LL-1408A

Power : 30w/60w

Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 80x120mm
 Height : 3 Mts

42,500.00

44,500.00




LF-LL-1409

Power : 30w/60w

Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 80x120mm
 Height : 3 Mts

41,000.00

42,500.00




LF-LL-1410

Power : 2x30w/ 2x60w

Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 80x120mm
 Height : 3 Mts

56,500.00

59,000.00





*Every Additional 3 Mtr will cost INR 3,200 Extra



LF-LL-1411

Power : 30w/60w


Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 80x120mm
 Height : 3 Mts

46,000.00

48,000.00



With Side lit strip available in Red, Blue, Green Yellow and 3k/4k/6k (Power - 5w/mtr)




LF-LL-1412

Power : 30w/60w

Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 80x120mm
 Height : 3 Mts

53,500.00

55,800.00




LF-LL-1414

Power : 1x35w/2x35w

Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 76x3660mm
 Height : 3 Mts

31,500.00

46,500.00



LF-LL-1413

Power : 2x30w


Light Source : Osram
 Body Colour : Dark Grey
 Material : Aluminium
 Size : 80x120mm
 Height : 3 Mts

59,000.00



A large rectangular area with a thin yellow border, containing horizontal dashed lines for writing notes.

Our Presence



VALUED CLIENTS

Luminac work's across all industries and verticals. We have the product and version that suits your company's specific needs.

A Few Of Our Valued Clients

Hospitals and Clinics



Showrooms



Developers



Restaurant & Clubs





LIGHT FORM MARKETING

Plot M-11, 7th Cross , Peenya 1st Stage
Near Peenya Police Station, Bengaluru-560058
080 41280002 | +91 984 413 8373 | shivam@luminac.net | info@luminac.net
For More Information visit www.luminac.net
f @ /luminacighting

Channel Partner



MAKE IN INDIA